

July 19, 2016

#### HAND-DELIVERED

Deanna Austin Dept of Environmental Quality 5636 Southern Blvd Virginia Beach, VA 23462

RE: Atlantic STP VA0081248 VPDES Permit Reissuance Application

Dear Mrs. Austin,

Enclosed is the Atlantic STP VPDES permit application package along with a flash drive containing a copy of the contents of the package. In addition to the required DEQ forms, HRSD has included two attachments to address specific issues in the proposed permit.

The first attachment includes a summary of the acute toxicity tests. All of the ten tests indicated no toxicity in the effluent.

Attachment 2 is a review of the toxics data. None of the parameters monitored for the permit application indicated a reasonable potential to exceed water quality standards.

Additionally, landowner agreements and site book details for the VPDES Sewage Sludge Permit Application Form, as well as an electronic copy of the pages provided in this packet, are being submitted in a flash drive for your convenience. The electronic submittal includes several new sites, identified on the ATP VPDES HRSD Permitted Sites list provided in section C.1 with a begin date of January 1, 2017.

Please contact me immediately if you have any questions or desire supplemental information.

Sincerely,

ปล์mie Heisig-Mitchell

Chief of Technical Services Division

**Enclosures** 

#### Plant Toxicity Test Data Review

HRSD has completed acute monitoring required of the permit and permit application. Chronic testing is not required for this permit. The results of acute monitoring are as follows.

Date(s)	Species	LC50 (%)	TUa	Survival
		(Permit <u>&gt;</u> 3%)	(Permit≤33)	In 11.2%
09/14/12	A.bahia	> 11.2	< 8.9	90
09/14/12	C. variegatus	> 11.2	< 8.9	100
10/23/13	A.bahia	> 11.2	< 8.9	100
10/23/13	C. variegatus	> 11.2	< 8.9	100
11/19/14	A.bahia	> 11.2	< 8.9	100
11/19/14	C. variegatus	> 11.2	< 8.9	100
06/17/15	A.bahia	> 11.2	< 8.9	100
06/17/15	C. variegatus	> 11.2	< 8.9	100
03/16/16	A.bahia	> 11.2	< 8.9	100
03/16/16	C. variegatus	> 11.2	< 8.9	100

The decision criterion of the current permit requires that the acute LC50 for these tests must be greater than 3% effluent with a Toxic Unit equivalency ( $TU_a$ ) of  $\leq$ 33. This requirement has been met in every case. The 3% effluent acute decision criterion was based on an estimate of initial dilution of 109:1, approved upon expansion of the plant in prior permit cycle.

#### Plant Toxics Data Review

The final effluent data collected for the Atlantic Treatment Plant 2016 VPDES permit application did not yield quantifiable concentrations of metals or organics with the exception of those listed in the table below.

Parameter	Average	Maximum	Most Limiting Waste
	Concentration	Concentration	Load Allocation <sup>1</sup>
Ammonia	33.6 mg/L	38.5 mg/L	50 mg/L
Cyanide	4 μg/L	12 μg/L	27 μg/L
Nickel, dissolved	0.9 μg/L	2.7 μg/L	1.5 x 10 <sup>3</sup> µg/L

<sup>&</sup>lt;sup>1</sup> Waste load allocations based on information provided in the Fact Sheet for the current permit.

The results for ammonia have a final effluent average of 33.6 mg/L with a maximum concentration of 38.5 mg/L. Using the available data, the results demonstrate that there is no need for a permit limit for ammonia (see STATS.EXE output on the following page).

The results for cyanide have a final effluent average value of 4  $\mu$ g/L with a maximum concentration of 12  $\mu$ g/L. Using available data, the results demonstrate that there is no need for a permit limit for cyanide (see STATS.EXE output on the following page).

The results for dissolved nickel have a final effluent average value of 0.9  $\mu$ g/L with a maximum concentration of 2.7  $\mu$ g/L. Using available data, the results demonstrate that there is no need for a permit limit for dissolved nickel (see STATS.EXE output on the following page).

In summary limits for ammonia, cyanide and dissolved nickel will not be required.

#### 6/22/2016 3:56:48 PM

Facility = Atlantic Treatment Plant
Chemical = Cyanide
Chronic averaging period = 4
WLAa = 27
WLAc = 190
Q.L. = 5
# samples/mo. = 1
# samples/wk. = 1

#### Summary of Statistics:

# observations = 3

Expected Value = 4.63874

Variance = 7.74646

C.V. = 0.6

97th percentile daily values = 11.2880

97th percentile 4 day average = 7.71789

97th percentile 30 day average = 5.59457

# < Q.L. = 2

Model used = BPJ Assumptions, Type 1 data

No Limit is required for this material

The data are:

12

0

0

#### 6/22/2016 12:10:45 PM

Facility = Atlantic Treatment Plant Chemical = Nickel Chronic averaging period = 4 WLAa = 2000 WLAc = 1500 Q.L. = 2 # samples/mo. = 1 # samples/wk. = 1

#### Summary of Statistics:

# observations = 3
Expected Value = 1.85549
Variance = 1.23943
C.V. = 0.6
97th percentile daily values = 4.51520
97th percentile 4 day average = 3.08715
97th percentile 30 day average = 2.23782
# < Q.L. = 2
Model used = BPJ Assumptions, Type 1 data

No Limit is required for this material

The data are:

0 2.7 0

#### 7/8/2016 8:13:33 AM

Facility = Atlantic Treatment Plant
Chemical = Ammonia
Chronic averaging period = 30
WLAa = 59
WLAc = 50
Q.L. = 2
# samples/mo. = 1
# samples/wk. = 1

#### Summary of Statistics:

# observations = 10
Expected Value = 33.5749
Variance = 4.16788
C.V. = 6.080536
97th percentile daily values = 37.5699
97th percentile 4 day average = 35.5341
97th percentile 30 day average = 34.2760
# < Q.L. = 0
Model used = lognormal

#### No Limit is required for this material

#### The data are:

31 38.5 32.5 32.6 33.4 33.9 33.9 32.8 31.8

35.3

Form	Annroyed	OMB	NIA	2040-0086.
COHIL	Apploved.	OWD	INO.	2040-0000.

FORM	Ω EDA				PROTECTI IFORMA	ON AGENCY <b>TION</b>	I. EPA I.D. NUMBER			T/A C
<b>1</b> GENERAL	<b>\$EPA</b>	Co	nsolia	ated F	Permits Prog		F			D
	ITEMO	Tread me	Gener	45 050	The section of	ne sianing.	1   2 GENERAL INSTRU	CTION	13 VS	14 15
	ITEMS						If a preprinted label has been designated space. Review the inform	nation o	carefully	y; if any of it
I. EPA I.D. N	NUMBER						is incorrect, cross through it and en appropriate fill-in area below. Also, if is absent (the area to the left of	any of	the pre	printed data
III. FACILITY	NAME	PLEASE	EPLA	CE LA	BEL IN THI	S SPACE	information that should appear), plea fill-in area(s) below. If the label is of	se prov	vide it i	n the proper
V. FACILITY ADDRESS	nas been provided, kerer to the inside			nplete a truction	all item	s if no label letailed item				
VI. FACILITY	LOCATION			er kerê			descriptions and for the legal autho data is collected.	rization	s unde	r which this
INSTRUCTION submit this form you answer "no	n and the suppler " to each questio	rough J to determine whethe nental form listed in the pare	nthesi f these	s follo forms bold-	wing the qu s. You may faced terms	estion. Mark "X" in the box in answer "no" if your activity is e	the EPA. If you answer "yes" to ar the third column if the supplemer excluded from permit requirement	ital for	rm is a Sectio	attached. If on C of the
	SPECIFIC QU	ESTIONS	YES	Mar NO	FORM ATTACHED	SPECIFIC	QUESTIONS	YES	Mari NO	FORM ATTACHED
		ed treatment works which rs of the U.S.? (FORM 2A)	X		X	include a concentrated	(either existing or proposed) animal feeding operation or tion facility which results in a		×	
			16	17	18	discharge to waters of the	ne U.S.? (FORM 2B)	19	20	21
	e U.S. other than	ly results in <b>discharges</b> to a those described in A or B	22	23	24		(other than those described in A sult in a discharge to waters of	25	26	27
	ll this facility tr vastes? (FORM 3	eat, store, or dispose of	X	20		municipal effluent bel containing, within one o	ect at this facility industrial or ow the lowermost stratum quarter mile of the well bore,	13	X	21
C. Do you or wil	Lyou inject at this	facility any produced water	28	29	30	underground sources of d		31	32	33
or other flui connection w inject fluids u	ids which are lith conventional dised for enhance	racing any produced water prought to the surface in oil or natural gas production, d recovery of oil or natural ge of liquid hydrocarbons?		35		processes such as mining	at this facility fluids for special of sulfur by the Frasch process, als, in situ combustion of fossil ermal energy? (FORM 4)		×	
I. Is this facility of the 28 indu which will po pollutant regu	istrial categories itentially emit 10	onary source which is one isted in the instructions and 0 tons per year of any air clean Air Act and may affect area? (FORM 5)	40	× 41	36 42	NOT one of the 28 ind instructions and which wi year of any air pollutant re	ed stationary source which is lustrial categories listed in the ill potentially emit 250 tons per agulated under the Clean Air Act cated in an attainment area?	43	38	39 45
III. NAME OF F	ACILITY									
c SKIP HR	I I I I I I I I I I I I I I I I I I I	'IC STP		<u> </u>				69		
IV. FACILITY C	ONTACT							09	/03/18/19/10	
		A. NAME & TITLE (last,	first, c	& title)			B. PHONE (area code & no.)			
c 2 JAMIE F	HEISIG-MI	rcherr chift.of	F TE	ECH/	II'CA'L 'S	ervices ' ' '	(757) 460-4220 ' '			
V. FACILTY MAI	LING ADDRESS					45 4	46 48 49 51 52- 59	5		
c	R RAIL AV	A. STREET OR P. 0	O. BO	X	T T T	45				
		B. CITY OR TOWN				<del></del>	D. ZIP CODE			
7	A BEACH		· · · · · · · · · · · · · · · · · · ·				3455 ' '			
15   16 VI. FACILITY L	OCATION		- 100		<del></del>	40 41 42 47	51			
c		EET, ROUTE NO. OR OTHER	R SPE	CIFIC	IDENTIFIE					
15 16	Commence	B. COUNTY	NAM		· · · · · · · · · · · · · · · · · · ·	45				
46			I	T			70			
	A BEACH	C. CITY OR TOWN					E. ZIP CODE   F. COUNTY CO	DDE (i)	f known	<u>v</u>
						-1	1 52			

CONTINUED FROM THE FRONT		
VII. SIC CODES (4-digit, in order of priority)  A. FIRST		B. SECOND
7 4952 (specify) WASTEWATER TREATMENT	c         (specify)	B. SECOND
15 16 - 19 C. THIRD	15 16 - 19	D. FOURTH
c     (specify)	c       (specify)	D. POORTH
15 16 - 19	15 16 - 19	
VIII. OPERATOR INFORMATION	ANAME	
8 HAMPTON ROADS SANITATION DISTRI	A. NAME  T T T T T T T T T T T T T T T T T T T	B.Is the name listed in Item  VIII-A also the owner?  ☑ YES □ NO
15 16		
C. STATUS OF OPERATOR (Enter the approximately 1997)  F = FEDERAL S = STATE P = PRIVATE  O = OTHER (specify)	propriate letter into the answer box: if "Other," specify al or state)  M  (specify) POLITICAL SUBDIVIS:	<u> </u>
	56	15 6 - 18 19 - 21 22 - 26
E. STREET OR P.O. B		
26	55 MARIA	
F. CITY OR TOWN  B VIRGINIA BEACH	G. STAT	E H. ZIP CODE   IX. INDIAN LAND   Is the facility located on Indian lands?     23455
X. EXISTING ENVIRONMENTAL PERMITS		The State of the S
A. NPDES (Discharges to Surface Water)	D. PSD (Air Emissions from Proposed Sources	)
9 N VA0081248		
15   16   17   18   30   1   B. UIC (Underground Injection of Fluids)	16   17   18   F. O.T.	30   Harris Harr
B. UIC ( <i>Undergrouma injection of Fullas</i> )	1 60349	(specify) AIR
15 16 17 18 30 1		30
C. RCRA (Hazardous Wastes)		HER (specify)
9 R VAD000797522		(specify)
15 16 17 18 30 1	16 17 18	30
XI. MAP		
Attach to this application a topographic map of the area exte	nding to at least one mile beyond property bound	daries. The map must show the outline of the facility, the
location of each of its existing and proposed intake and discharge injects fluids and appropriate and other		
injects fluids underground. Include all springs, rivers, and other	surface water bodies in the map area. See instruc	tions for precise requirements.
XII. NATURE OF BUSINESS (provide a brief description)		
FACILITY PROVIDES SECONDARY WASTEWATER TR	EATMENT. RECEIVES FLOW FROM PART	'S OF VIRGINIA BEACH AND CHESAPEAKE.
VIII CERTIFICATION (see instructions)		500 Sept. 1980 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 19
XIII. CERTIFICATION (see instructions)		
I certify under penalty of law that I have personally examined inquiry of those persons immediately responsible for obtaining am aware that there are significant penalties for submitting fals	the information contained in the application, I bel	ieve that the information is true, accurate, and complete. I
A. NAME & OFFICIAL TITLE (type or print)	B. SIGNATURE	C. DATE SIGNED
EDWARD G. HENIFIÑ GENERAL MANAGE		
,	<i>VVIV</i> .)    <i>V</i>	11171261
		S 180 AS 10
COMMENTS FOR OFFICIAL USE ONLY		
C		

#### VPDES Permit Application Addendum

•	m the permit is to be issued: Hampto responsible for the wastewater treatment factor reproperty owner.		ermit? This may or may
•	located within city or town boundarie	s? Yes⊠ No 🗌	
3. Provide the ta	ax map parcel number for the land wh	ere the discharge is located.	Dam Neck Par B, C 68.661 AC
4. For the facility	y to be covered by this permit, how ma	any acres will be disturbed d	uring the next
•	new construction activities? 3 acres		0
5. What is the de	esign average effluent flow of this facil	ity? 54 MGD	
For industrial	facilities, provide the max. 30-day avo	erage production level, inclu	de units:
other discharg	the design flow or production level, she ge flow tiers or production levels? Yes se identify the other flow tiers (in MGD)	No 🗓	vith limits for any
	following questions for both the flow tiers as furing the next five years? Is your facility's a		
6. <b>Nature of oper</b> Domestic and inc	rations generating wastewater: dustrial		
98 % of flow	from domestic connections/sources		
Number of priv	vate residences to be served by the treatm	nent works: Population 343,0	016
% of flow	from non-domestic connections/sources		
7. <b>Mode of disch</b> Describe fre	arge: ⊠ Continuous ☐ Intermitquency and duration of intermittent or so	<del></del>	
discharge poin		t the point just above the fac	ility's
	nt stream, never dry		
	ent stream, usually flowing, sometimes d	ry	
	al stream, wet-weather flow, often dry		
	dependent stream, usually or always dry	without effluent flow	
	ond at or below the discharge point		
Other: Od	cean		
9. Approval Date	e(s):		
O & M Manua	al 04/10/2012 Sludge/Solid	ds Management Plan <u>04/10</u>	/2012
Have there been	n any changes in your operations or proc	edures since the above approv	val dates? Yes ⊠ No □

Atlantic STP VA0081248

FORM **2A** 

**NPDES** 

#### NPDES FORM 2A APPLICATION OVERVIEW

**APPLICATION OVERVIEW** 

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

#### BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

#### SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
  - 1. Has a design flow rate greater than or equal to 1 mgd,
  - 2. Is required to have a pretreatment program (or has one in place), or
  - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
  - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
  - 2. Any other industrial user that:
    - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
    - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
    - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

#### ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

Form Approved 1/14/99 OMB Number 2040-0086

#### FACILITY NAME AND PERMIT NUMBER:

Atlantic STP VA0081248

ВА	SIC APPLICA	TION INFO	RMATION				
PAF	RT A. BASIC APPI	ICATION INF	ORMATION FOR ALL	APPLICANTS:			
All t	reatment works mus	t complete ques	stions A.1 through A.8 of	this Basic Application	Information pacl	cet.	
A.1.	Facility Information	1.					
	Facility name	Atlantic STP					
	Mailing Address	1434 Air Rail Virginia Beac					
	Contact person	Jamie Heisig-	Mitchell				
	Title	Chief of Tech	nical Services Division				
	Telephone number	<u>(757) 460-422</u>	20				
	Facility Address (not P.O. Box)	645 Firefall D Virginia Beac			M-1		
A.2.	Applicant Informat	i <b>on.</b> If the applic	ant is different from the abo	ove, provide the followin	ng:		
	Applicant name	Hampton Roa	ads Sanitation District				
	Mailing Address	1434 Air Rail	Avenue				
		Virginia Beach, VA 23455					
	Contact person	Jamie Heisig-	Mitchell	······································		4	
	Title	Chief of Tech	nical Services Division				
	Telephone number	(757) 460-422	20				
	Is the applicant the	owner or opera	tor (or both) of the treatr	ment works?			
	Indicate whether cor	respondence reg	arding this permit should b _ applicant	e directed to the facility	or the applicant.		
A.3.	Existing Environme works (include state-		Provide the permit number	of any existing environm	nental permits that	have been issued to the treatment	
	NPDES VA00812	248		PSD		N	
	UIC			Other	DEQ-Air 60959		
	RCRA <u>VAD980</u>	720353		- Other			
A.4.						Provide the name and population of d its ownership (municipal, private,	
	Name		Population Served	Type of Collecti	on System	Ownership	
	Virginia Beach		281,832	separate		municipal/HRSD	
	Chesapeake		61,184	separate		municipal/HRSD	
	Total po	oulation served	343,016				

	ILITY NAME AND PERMIT NUMBER: tic STP VA0081248				orm Approved 1/14/99 MB Number 2040-0086
4.5.	Indian Country.				
	a. Is the treatment works located in Indian C	ountry?			
	Yes				
	b. Does the treatment works discharge to a through) Indian Country?	receiving water that is either	in Indian Country or that	is upstream from (a	and eventually flows
	Yes No				
A.6.	Flow. Indicate the design flow rate of the trea average daily flow rate and maximum daily flo period with the 12th month of "this year" occur	w rate for each of the last thi	ee years. Each year's d	lata must be based fon submittal.	
	a. Design flow rate54 mgd				
		Two Years Ago	Last Year	This Year	
	b. Annual average daily flow rate	25.80	30.	.71	<u>27.31</u> mgd
	c. Maximum daily flow rate	36.83	55.	.11	44.46 mgd
<b>A.7.</b>	Collection System. Indicate the type(s) of contribution (by miles) of each.	illection system(s) used by th	ne treatment plant. Chec	ck all that apply. Als	o estimate the perce
	Separate sanitary sewer				100_%
	Combined storm and sanitary sewer				%
.8.	Discharges and Other Disposal Methods.				
	a. Does the treatment works discharge efflue	ent to waters of the U.S.?		Yes	No
	If yes, list how many of each of the following	ng types of discharge points	the treatment works use	s:	
	i. Discharges of treated effluent			<u>1</u>	
	ii. Discharges of untreated or partially tre	eated effluent			
	iii. Combined sewer overflow points		y		
	iv. Constructed emergency overflows (pri	or to the headworks)			
	v. Other				
	b. Does the treatment works discharge efflue				,
	impoundments that do not have outlets for	discharge to waters of the U	J.S.?	Yes	No
	If yes, provide the following <u>for each surface</u> Location:	ce impoundment:			
	Annual average daily volume discharged t	o surface impoundment(s)			mgd
	Is discharge continuous or	intermittent?			
	c. Does the treatment works land-apply treat	ed wastewater?		Yes	<b>√</b> No
	If yes, provide the following for each land	application site:			
	Location:				
	Number of carea				
	Annual average daily volume applied to sit		 Mgd		
	Is land application continue	ous or intermi			
		<u> </u>			
	d. Does the treatment works discharge or tra	nsport treated or untreated v	vastewater to another	Voo	√ Na
	treatment works?			Yes	<b>√</b> No

#### FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Atlantic STP VA0081248 If yes, describe the mean(s) by which the wastewater from the treatment works is discharged or transported to the other treatment works (e.g., tank truck, pipe). If transport is by a party other than the applicant, provide: Transporter name: Mailing Address: Contact person: Title: Telephone number: For each treatment works that receives this discharge, provide the following: Name: Mailing Address: Contact person: Title: Telephone number: If known, provide the NPDES permit number of the treatment works that receives this discharge. Provide the average daily flow rate from the treatment works into the receiving facility. mgd e. Does the treatment works discharge or dispose of its wastewater in a manner not included in **√** No A.8.a through A.8.d above (e.g., underground percolation, well injection)? If yes, provide the following for each disposal method:

intermittent?

Description of method (including location and size of site(s) if applicable):

\_\_\_\_\_ continuous or

Annual daily volume disposed of by this method:

Is disposal through this method

	TY NAME AND PERM	MIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
WA	STEWATER DISCHA	ARGES:	
lf y whi	ou answered "yes" t ch effluent is discharg	o question A.8.a, complete ques ed. Do not include information or	tions A.9 through A.12 <b>once for each outfall</b> (including bypass points) through n combined sewer overflows in this section. <b>If you answered "no" to question</b> Applicants with a Design Flow Greater than or Equal to 0.1 mgd."
A.9. D	escription of Outfall	<u> </u>	
а	. Outfall number	001	
b	. Location	Virginia Beach (City or town, if applicable)	23454 (Zip Code) Virginia
		(County) 36 47' 12" (Latitude)	(State) 75 55' 37" (Longitude)
C.	Distance from shore	e (if applicable)	9510 ft.
d.			28 ft.
e.		, ,,	27.31 mgd
f.	Does this outfall ha periodic discharge?	ve either an intermittent or a	Yes V No (go to A.9.g.)
	If yes, provide the for	ollowing information:	
	Number of times pe	r year discharge occurs:	
	Average duration of	f each discharge:	
	Average flow per di	scharge:	mgd
	Months in which dis	charge occurs:	
g.	ls outfall equipped v	vith a diffuser?	Yes No
A.10. D	escription of Receivi	ng Waters.	
a.	Name of receiving v	vater Atlantic Ocean	
b.	Name of watershed	(if known)	
	United States Soil C	Conservation Service 14-digit water	ershed code (if known):
c.	Name of State Man	agement/River Basin (if known):	
	United States Geold	ogical Survey 8-digit hydrologic ca	ataloging unit code (if known):
d.		eceiving stream (if applicable):	chronic <u>not applicable</u> cfs
e.	Total hardness of re	ceiving stream at critical low flow	(if applicable):not applicable mg/l of CaCO3


Aliantic	Y NAME AND STP VA0081:	248											
A.11. De	scription of T	reatment.											
a.	What levels o	f treatment	are provi	ded?	Check all th	nat a	pply.						·
	P	rimary			<b>√</b> _ s	ecor	ndary						
	A	dvanced			c	ther	. Describe:						
b.	Indicate the fo	ollowing ren	noval rate	es (as	applicable)	:							
	Design BOD <sub>5</sub>	removal <u>or</u>	Design C	BOD,	removal			<u>85</u>				%	
	Design SS rer	moval						85				%	
	Design P rem	oval						NA				%	
	Design N rem	oval						NA				%	
	Other			_							(	%	
C.	What type of c	disinfection	is used fo	or the	effluent fro	m thi	is outfall? If dis	infection varie	s by seaso	on, pl	ease desci	ribe.	
	hypochlorite	solution							•				
	If disinfection	is by chlorii	nation, is	dechlo	orination us	ed fo	or this outfall?			Ye	S	<b>√</b>	No
d.	Does the treat	ment plant	have pos	t aera	tion?					- Ye	s		— No
A.12. Effl par disc coll of 4 At a	rameters. Prov <u>charged</u> . Do r lected through 40 CFR Part 13 a minimum, ef	ide the ind not include n analysis 36 and othe fluent test	dicated el e informa conducte er approp	ffluen tion o ed usi oriate	t testing re on combine ing 40 CFR QA/QC red	equi ed so Par quire	red by the per ewer overflow t 136 methods ements for sta t least three sa	mitting authors in this sect s. In addition andard metho amples and n	ority <u>for ea</u> ion. All inf , this data ds for ana nust be no	ich o form mus alytes o mos	utfall thro ation repo st comply s not addre re than fou	ugh wherted mu with QA essed b ur and c	for the following ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa
A.12. EffI par disc coll of 4 At a	rameters. Prov charged. Do r lected through 40 CFR Part 13 a minimum, ef tfall number:	ride the indication included analysis and other fluent test	dicated el e informa conducte er approp	ffluen tion o ed usi oriate must	t testing re on combine ing 40 CFR QA/QC red be based d	equined so Par Quire on a	red by the per ewer overflow rt 136 method: ements for sta t least three s Febru	mitting authors in this sect s. In addition andard metho	ority <u>for ea</u> ion. All int i, this data ds for ana nust be no	ich o form mus alytes o mo	eutfall thro ation repo st comply s not addro re than fou emperatu	ugh wh rted mu with QA essed b ur and c ure 200	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only
A.12. EffI par disc coll of 4 At a	rameters. Prov <u>charged</u> . Do r lected through 40 CFR Part 13 a minimum, ef	ride the indication included analysis and other fluent test	dicated el e informa conducte er approp	ffluen tion o ed usi oriate must	t testing re on combine ing 40 CFR QA/QC red	equined so Par Quire on a	red by the per ewer overflow rt 136 method: ements for sta t least three s Febru	mitting authors in this sect s. In addition andard metho amples and n	ority for ea ion. All int i, this data ds for ana nust be no //ay 2016	ich o form mus alytes o mo	utfall thro ation repo st comply s not addre re than fou	ugh where designed in the design of the desi	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only
A.12. EffI par discoll of 4 At a	rameters. Proven the charged of the	ride the indication included analysis and other fluent test	dicated ef e informa conducte er approp ing data	ffluen tion o ed usi oriate must	t testing re on combine ing 40 CFR QA/QC red be based of	equined so Par Quire on a	red by the per ewer overflow to 136 method: ements for state t least three singless February LY VALUE	mitting authors in this sect so in this sect so in addition and methors and neary 2014- N	ority for ea ion. All int i, this data ds for ana nust be no //ay 2016	ich o form mus alytes o mo	ation repo ation repo st comply s not addre re than fou emperatu	ugh where designed in the design of the desi	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only
A.12. EffI par disc coll of 4 At a Out	rameters. Proven the control of the	ride the indication included analysis and other fluent test	dicated ef e informa conducte er approp ing data	ffluen ded usion of the second	t testing re on combine ing 40 CFR QA/QC red be based of	equined so Par Quire on a	red by the per ewer overflow rt 136 method: ements for state teast three says February VALUE  Units  s.u.	mitting authors in this sect so in this sect so in addition and methors and neary 2014- N	ority for ea ion. All int i, this data ds for ana nust be no //ay 2016	ich o form mus alytes o mo	ation repo ation repo st comply s not addre re than fou emperatu	ugh where designed in the design of the desi	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only
A.12. EffI par disc coll of 4 At a Out	rameters. Proventers. Proventers. Proventers and the control of th	ride the indication included analysis and other fluent test	dicated ef e informa conducte er approp ing data	ffluen de	t testing re on combine ing 40 CFR QA/QC red be based of MAXIMUM	DAII	red by the per ewer overflow rt 136 method: ements for state teast three says February VALUE Units  s.u. s.u.	mitting authors in this sects. In addition and ard metho amples and nary 2014- N	ority for ea ion. All inf I, this data ds for ana nust be no Aay 2016	ich ofform form musilytes o mor o; Te	outfall thro ation repo st comply s not addre re than for emperatu AGE DAIL	ugh wh rted mu with QA essed b ur and c ure 202	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only  JE  Jumber of Samples
A.12. EffI par disc coll of 4 At a Out	rameters. Proven the control of the	ride the indication included analysis and other fluent test	dicated ef e informa conducte er appropi ing data	ffluen ded usion of the second	t testing re on combine ing 40 CFR QA/QC red be based of MAXIMUM	DAII	red by the per ewer overflow to 136 methods ements for state teast three so February Units  S.u. S.u. gd	mitting authors in this sects. In addition and metho amples and neary 2014- Notate Value 28.66	ority for earlion. All infinitely, this data ds for anamust be not all all all all all all all all all al	nch of form form a must allytes of more form for more for more form for more form for more form for more form for more for more form for more for more form for more for more form for more form for more form for more form for more for more form for more for more form for more for more form for more form for more form for more form for more for more form for more for m	eutfall thro ation repo st comply s not addre re than fou emperatu RAGE DAIL Units	ugh wh rted mu with QA essed b ur and c ure 202 Y VALU	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only
A.12. EffI par disc coll of 4 At a Out	rameters. Proven the control of the	ride the indication included analysis and other fluent test	dicated ef e informa conducte er approp ing data	ffluen tion of tion of the first terms of the first	t testing re on combine ing 40 CFR QA/QC red be based of MAXIMUM	DAII  mg	red by the per ewer overflow rt 136 method: ements for state teast three says February VALUE Units  s.u. s.u.	mitting authors in this sects. In addition and ard method amples and nary 2014- North Value 28.66	prity for ea ion. All inf I, this data ds for ana nust be no Aay 2016	ich ofform form musilytes o mor o; Te	eutfall thro ation repo st comply s not addre re than fou emperatu AGE DAIL Units	ugh where deciding the second of the second	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only  JE  Jumber of Samples
A.12. EffI par disc coll of 4 At a Out pH (Minim pH (Maxir Flow Rate Temperat Temperat	rameters. Proven the control of the	ride the includent includent analysis as and other fluent test	dicated efection in the conducted er appropring data	ffluention of the following for the following fo	t testing report testing report to the testi	DAII  mg Ce	red by the per ewer overflow rt 136 methods ements for state teast three says and the says and the says are says as a sundant says and the says are says and the says are says and the says are	mitting authors in this sects. In addition and metho amples and neary 2014- Notate Value 28.66	prity for ea ion. All inf I, this data ds for ana nust be no Aay 2016	ich of form a musi lytes o moo	eutfall thro ation repo st comply s not addre re than fou emperatu AGE DAIL Units	ugh wh rted mu with QA essed b ur and c ure 202 Y VALU	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only  JE  Jumber of Samples
A.12. EffI par disc coll of 4 At a Out pH (Minim pH (Maxir Flow Rate Temperat Temperat	rameters. Proven Charged. Do relected through 40 CFR Part 13 a minimum, effall number:  PARAMET PARAME	port a minin	mum and	ffluen titon of titon	t testing report testing report to the testi	DAII  mg Ce	red by the per ewer overflow to 136 methods ements for state teast three services.  February VALUE  Units  s.u. s.u. gd entigrade entigrade ue	mitting authors in this sects. In addition and ard method amples and nary 2014- North Value 28.66	prity for earlion. All infinity, this data dis for anamust be not all all all all all all all all all al	ich of form a musi lytes o moo	eutfall thro ation repo st comply s not addre re than fou emperatu AGE DAIL Units	ugh whered mu with QA essed bur and cure 200 Y VALU  V VALU  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only  JE  Jumber of Samples
A.12. EffI par disc coll of 4 At a Out pH (Minim pH (Maxir Flow Rate Temperat Temperat	rameters. Proven charged. Do relected through the CFR Part 13 a minimum, effall number:  PARAMET PARAM	port a minin	mum and	ffluen tion of	t testing report to the combination of the combinat	DAII  mc Ce Ce	red by the per ewer overflow to 136 methods ements for state teast three services.  February VALUE  Units  s.u. s.u. gd entigrade entigrade ue	mitting authors in this sects. In addition and ard methors and neary 2014- North Value 28.66  16 27	prity for earlion. All infinity, this data dis for anamust be not all all all all all all all all all al	nch of form a music state of the form a music state of the form of for	entifall thro ation repo ation repo st comply s not addre re than for emperatu AGE DAIL Units ius ius	ugh whered mu with QA essed bur and cure 200 Y VALU  V VALU  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ich effluent is ust be based on da AQC requirements by 40 CFR Part 136 one-half years apa 15 only JE Jumber of Samples
A.12. Effli par discollection of 4 At a Out DH (Minim pH (Maxim Flow Rate Temperat * Fo	rameters. Proven charged. Do relected through the CFR Part 13 a minimum, effall number:  PARAMET PARAM	ride the includent includent analysis as and other fluent test 001  TER  port a minir	mum and  MA  Con	ffluen tion of	t testing report to the combination of the combinat	DAII  DAII  Ce  Ce  value	red by the per ewer overflow to 136 methods ements for state teast three state teast	mitting authors in this sects. In addition and ard method amples and neary 2014- Novalue 28.66  16 27	prity for eation. All into the control of the contr	nch of form a music state of the form a music state of the form of for	entifall thro ation repo ation repo st comply s not addre re than for emperatu AGE DAIL Units ius ius	ugh whered mu with QA essed bur and cure 200 Y VALU  V VALU  0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only  JE  Number of Samples  ML / MDL
A.12. EffI par disc coll of 4 At a Out pH (Minim pH (Maxim Flow Rate Temperat * Fo	rameters. Proven Charged. Do relected through 40 CFR Part 13 a minimum, effall number:  PARAMET PARAME	ride the includent includent analysis as and other fluent test 001  TER  port a minir	mum and  MA  Con	ffluen tion of	t testing report to the combination of the combinat	DAII  DAII  Ce  Ce  value	red by the per ewer overflow to 136 methods ements for state teast three state teast	mitting authors in this sects. In addition and ard method amples and neary 2014- Novalue 28.66  16 27	prity for eation. All into the control of the contr	nch of form a musically test of more a musically test of more a musically test of the more and t	entifall thro ation repo ation repo st comply s not addre re than for emperatu AGE DAIL Units ius ius	ugh whited mu with QA essed bur and course 202  Y VALU  N  confi  92  92  IGAL  DD	ich effluent is ust be based on da A/QC requirements by 40 CFR Part 136 one-half years apa 15 only  JE  Number of Samples  ML / MDL
A.12. Effilipar discoll of 4 At a Out  PH (Minim PH (Maxim Flow Rate Temperat * Fo  CONVENT	rameters. Prove charged. Do relected through 40 CFR Part 13 a minimum, effall number:  PARAMET	ide the include not include nanalysis 66 and other fluent test  O01  FER  DONCONVI	mum and  MA  ENTIONA	ffluen tion of	t testing report to the combination of the combinat	DAII  DAII  Ce  Ce  value	red by the per ewer overflow rt 136 methods ements for state teast three same to least three same same same same same same same sa	mitting authors in this sects. In addition and ard methors and nearly 2014- Note that we will be seen as a second and ard ard ard ard ard ard ard ard ard ar	prity for ea ion. All inf I, this data ds for ana nust be no //ay 2016 A //ay 2016 CHARGE	nch of form a musically test of more a musically test of more a musically test of the more and t	ential thro ation repo ation repo st comply s not addre re than for emperatu  AGE DAIL  Units  ius  ius  ANALYTI  METHO	ugh whited mu with QA essed bur and course 202  Y VALU  N  confi  92  92  IGAL  DD	ich effluent is ust be based on da AQC requirements by 40 CFR Part 136 one-half years apa 15 only  DE  Sumber of Samples  ML / MDL  Report Limit
A.12. Effilipar discoll of 4 At a Out  PH (Minim PH (Maxim Flow Rate Temperat * Fo  CONVENT	rameters. Prove charged. Do relected through 40 CFR Part 13 a minimum, effall number:  PARAMET	ide the includent includent analysis as and other fluent test 001  TER  DONCONVI	mum and  MA  ENTIONA	ffluen tion of	t testing report to the combination of the combinat	DAII  DAII  Ce  Ce  Ce  Vall	red by the per ewer overflow rt 136 methods ements for state teast three same to least three same same same same same same same sa	mitting authors in this sects. In addition and ard methors and nearly 2014- Note that we will be seen as a second and ard ard ard ard ard ard ard ard ard ar	prity for ea ion. All inf I, this data ds for ana nust be no //ay 2016 A //ay 2016 CHARGE	nch of form a musically test of more services of more services of the services	ential thro ation repo ation repo st comply s not addre re than for emperatu  AGE DAIL  Units  ius  ius  ANALYTI  METHO	ugh whited mu with QA essed bur and course 202  Y VALU  N  Confi  92  92  IGAL  DD	ich effluent is ust be based on da AQC requirements by 40 CFR Part 136 one-half years apa 15 only DE Sumber of Samples ML / MDL Report Limit

		Y NAME AND PERMIT NUMBER: STP VA0081248	Form Approved 1/14/99 OMB Number 2040-0086
5 30		C APPLICATION INFORMATION	
			LICANTS WITH A DESIGN ELOW OPERATED THAN OP
PAF		EQUAL TO 0.1 MGD (100,000 gallons per day).	LICANTS WITH A DESIGN FLOW GREATER THAN OR
All a	pplic	cants with a design flow rate $\geq 0.1$ mgd must answer questions B.1 th	ough B.6. All others go to Part C (Certification).
B.1.	ln:	flow and Infiltration. Estimate the average number of gallons per da unknown gpd	y that flow into the treatment works from inflow and/or infiltration.
	Bri	iefly explain any steps underway or planned to minimize inflow and in	iltration.
	Н	RSD is under an EPA Consent Decree for upgrading the intere	ceptor system.
B.2.	Th	pographic Map. Attach to this application a topographic map of the a is map must show the outline of the facility and the following information entire area.)	area extending at least one mile beyond facility property boundaries. on. (You may submit more than one map if one map does not show
	a.	The area surrounding the treatment plant, including all unit processes	s.
	b.	The major pipes or other structures through which wastewater enters treated wastewater is discharged from the treatment plant. Include the structure of the major pipes or other structures through which wastewater enters	s the treatment works and the pipes or other structures through which outfalls from bypass piping, if applicable.
	c.	Each well where wastewater from the treatment plant is injected und	erground.
	d.	works, and 2) listed in public record or otherwise known to the applic	
	e.	Any areas where the sewage sludge produced by the treatment wor	•
	f.	If the treatment works receives waste that is classified as hazardous truck, rail, or special pipe, show on the map where that hazardous w disposed.	under the Resource Conservation and Recovery Act (RCRA) by aste enters the treatment works and where it is treated, stored, and/or
	bac chlo	cess Flow Diagram or Schematic. Provide a diagram showing the place of	r balance showing all treatment units, including disinfection (e.g, age flow rates at influent and discharge points and approximate daily
B.4.	Оре	eration/Maintenance Performed by Contractor(s).	
		any operational or maintenance aspects (related to wastewater treatr tractor?Yes _✓_No	nent and effluent quality) of the treatment works the responsibility of a
		es, list the name, address, telephone number, and status of each cont es if necessary).	ractor and describe the contractor's responsibilities (attach additional
	Nan	ne:	
	Mail	ling Address:	
	Tele	ephone Number:	
	Res	ponsibilities of Contractor:	
	unco trea	tment works has several different implementation schedules or is plar for each. (If none, go to question B.6.)	nent, effluent quality, or design capacity of the treatment works. If the ning several improvements, submit separate responses to question
	a.	List the outfall number (assigned in question A.9) for each outfall tha	t is covered by this implementation schedule.

b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

NA

\_\_\_\_Yes \_\_\_\_No



Location Map for Atlantic TP


June 2003

Scale: 1"=2000'

**USGS Map Reference** 


# **HRSD Atlantic Treatment Plant**

Virginia Beach, VA 23454 645 Firefall Drive 757-821-7401





## **Facilities Directory**


- Acid Phase Digester
- Acid Phase Digester Pumps and Boilers
  - Administration Building
- Aeration Tanks 1 6
- Biosolids Storage Pad No. 1
- Biosolids Storage Pad No. 2 Blower – Electric Building
- CHP Biogas Cleaning System
- CHP Biogas Electric Generators
- Contact Tanks 1 4
- **Dewatering Building**
- **DSST Tank and Pump Station**
- Final Effluent Pumping Bldg
- Gas Phase Dystor Digesters 5 & 6 Gas Phase Digesters 1 – 4
  - **Grave Yard** 16.
- 17. Headworks 1983 & 1987
- Hypochlorite Storage & Pumping 18.
  - NPW Pump Station 19.
- Odor Control Station A
- Odor Control Station B
- Odor Control Station C
- Odor Control Station D
- 23.
- Oxygen Plant (Out of Service) 24.
- Oxygen Aeration Tanks (Out of Service)
- Plant Pump Station No. 1 26.
- Plant Pump Station No. 2
- Preliminary Treatment Facility 28. 29.
  - Primary Clarifiers 5 & 6 Primary Clarifiers 1 – 4 30.
- RAS Pump Station No. 2 RAS Pump Station No. 1
  - Scale House 33.
- Secondary Clarifiers 1-4 34.
- Secondary Clarifiers 5 & 6 35.
  - Sewage Treatment Shop 36.
    - Solids Handling Building 38. Solids Handling Shop
      - 39. Ware House
- 40. Waste Gas Flares




attack AA 80 Htd 100020 groun C000H20cmbTTFs\_tringen/4:









FACILITY NAME AND PERMIT NUMBER: Atlantic STP VA0081248								proved 1/14/99 mber 2040-0086
c If t	he answer to B.	5.b is "Yes," brie	efly describe, inc	luding new maxin	num daily inflow	rate (if applica	ble).	
apı	plicable. For im	provements pla		ntly of local, State			ementation steps listed planned or actual cor	
			Schedule	А	ctual Completion	1		
lmj	plementation St	age	MM / DD	/YYYY M	M / DD / YYYY			
– E	Begin construction	on			//			
– E	End construction	1						
E	Begin discharge							
_ A	ktain operationa	al level	//					
o 11o	vo appropriato	a armita /ala aran		than Fadanal/Otat				NI-
			_	ther Federal/State		een obtained?	YesYes	No
De	scribe briefly.							
standar pollutar Outfall	d methods for a	analytes not add ust be no more t		R Part 136. At a e-half years old.		nt testing data	ppropriate QÃ/QC rec must be based on at	
1 OLL	OTAIVI	DISC	ḤARGE					
		Conc.	Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL  Report Limit
CONVENTION	NAL AND NON	L CONVENTIONA	L COMPOUND:	S.		- developed and a second		
AMMONIA (as	s N)	38.5	mg/l	33.6	mg/l	10	Lach10-107-061C	4.00, 4.00, 2.00*
CHLORINE (T RESIDUAL, T		4.22	mg/l	1.37	mg/l	850	SM4500 CI G	0.10
DISSOLVED (	OXYGEN	5.7	mg/l	4.8	mg/l	3	YSI	0.1
TOTAL KJELE NITROGEN (T		44.2	mg/l	38.1	mg/l	3	Lach10-107-062I	2.5, 2.0, 5.0*
NITRATE PLU NITROGEN		2.99	mg/l	1.00	mg/l	3	Lach10-107-041A	0.20
OIL and GREA	ASE	<5.0	mg/l	<5.0	mg/l	3	EPA 1664B	5.0
PHOSPHORU	IS (Total)	2.10	mg/l	1.18	mg/l	3	Lach10-115-011E	0.20
TOTAL DISSO SOLIDS (TDS		371	mg/l	358	mg/l	3	SM 2540 C	1.0
OTHER								

### END OF PART B. REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

Report Limit (RL) is the lowest concentration at which quantitation is demonstrated.

\*RL varied with sample date. All applicable RLs listed.

FACILITY NAME AND F	PERMIT NUMBER:	Form Approved 1/14/99						
Atlantic STP VA00812	248		OMB Number 20	40-0086				
BASIC APPLIC	ATION INFORMAT	ION						
PART C. CERTIFICA	TION							
All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.								
Indicate which parts of	Form 2A you have comple	ted and are submitting:						
Basic Applic	cation Information packet	Supplemental Application	Information packet:					
			Effluent Testing Data)					
		Part E (Toxicity Te	esting: Biomonitoring Data)					
		Part F (Industrial	Jser Discharges and RCRA/CERCLA Wastes)					
		Part G (Combined	l Sewer Systems)					
ALL APPLICANTS MUS	ST COMPLETE THE FOLLO	WING CERTIFICATION.						
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.								
Name and official title	Edward G. Henifin, P.F.							
Signature	_M/7///							
Telephone number	(757) 460-4242							
Date signed	7/19/2010							
	mitting authority, you must sul riate permitting requirements.		cessary to assess wastewater treatment practices at the	e treatment				

SEND COMPLETED FORMS TO:

Atlantic STP VA0081248

#### SUPPLEMENTAL APPLICATION INFORMATION

#### PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number: 001 (Complete once for each outfall discharging effluent to waters of the United States.)

POLLUTANT		MAXIMUM DAILY DISCHARGE			AVERAGE DAILY DISCHARGE							
		Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL Report Limit
METALS (TO	TAL RECOVERABLE), (	CYANIDE,	PHENO	LS, AND I	HARDNE	SS.						
ANTIMONY	dissolved	<20.0	ug/l			<20.0	ug/l			3	EPA 200.8	20.0
ARSENIC	dissolved	<20.0	ug/l			<20.0	ug/l			3	EPA 200.8	20.0
BERYLLIUM	dissolved	<1.00	ug/l			<1.00	ug/l			3	EPA 200.8	1.00
CADMIUM	dissolved	<2.00	ug/l			<2.00	ug/l			3	EPA 200.8	2.00
CHROMIUM	dissolved	<10.0	ug/l			<10.0	ug/l			3	EPA 200.8	10.0
COPPER	dissolved	<10.0	ug/l			<10.0	ug/l			3	EPA 200.8	10.0
LEAD	dissolved	<30.0	ug/l			<30.0	ug/l			3	EPA 200.8	30.0
MERCURY	dissolved	<0.20	ug/l			<0.20	ug/l			3	EPA 245.1	0.10 & 0.20
NICKEL	dissolved	2.70	ug/l			0.90	ug/l			3	EPA 200.8	2.00
SELENIUM	dissolved	<10.0	ug/l			<10.0	ug/l			3	EPA 200.8	10.0
SILVER	dissolved	<2.00	ug/l			<2.00	ug/l			3	EPA 200.8	2.00
THALLIUM	dissolved	<1.00	ug/l			<1.00	ug/l			3	EPA 200.8	1.00
ZINC	dissolved	<20.0	ug/l			<20.0	ug/l			3	EPA 200.8	20.0
CYANIDE	total	12	ug/l		1	4	ug/l			3	L 10-204-00-1X	<5, <10
TOTAL PHEN	OLIC COMPOUNDS	<10.0	ug/l			<10.0	ug/l			3	L 10-210-00-1B	10.0
HARDNESS (A	AS CaCO <sub>3</sub> )	88.8	CaCO3/I			85.1	CaCO3/I			3	SM 2340B	6.62, 1.16
Use this space	(or a separate sheet) to	provide in	formation	on other	metals re	equested b	y the per	mit writer				
N												

Atlantic STP VA0081248

(Complete once for each outfall discharging effluent to waters of the United States.) Outfall number: 001 POLLUTANT MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE Conc. Units Mass Units Conc. Units Mass Units Number **ANALYTICAL** ML/ MDL **METHOD** of Report Limit Samples VOLATILE ORGANIC COMPOUNDS. ACROLEIN <50.0 <50.0 ug/l 3 **EPA 624** 10.0 & 50.0\* ug/l ACRYLONITRILE <10.0 <10.0 ug/l 3 **EPA 624** 10.0 ug/l BENZENE <10.0 ug/l 3 **EPA 624** 10.0 <10.0 ug/l 10.0 **BROMOFORM** <10.0 3 **EPA 624** <10.0 ug/l ug/l 10.0 <10.0 3 **EPA 624** CARBON TETRACHLORIDE <10.0 ug/l ug/l CLOROBENZENE <10.0 3 **EPA 624** 10.0 <10.0 ug/l ug/l <10.0 3 **EPA 624** 10.0 CHLORODIBROMO-METHANE <10.0 ug/l ug/l 10.0 CHLOROETHANE <10.0 <10.0 ug/l 3 **EPA 624** ug/l 10.0 <10.0 ug/l 3 **EPA 624** 2-CHLORO-ETHYLVINYL <10.0 ug/l ETHER ug/l CHLOROFORM <10.0 <10.0 3 **EPA 624** 10.0 ug/l **EPA 624** 10.0 DICHLOROBROMO-METHANE <10.0 3 <10.0 ug/l ug/l 1.1-DICHLOROETHANE 3 **EPA 624** 10.0 <10.0 ug/l <10.0 ug/l 3 10.0 1,2-DICHLOROETHANE <10.0 **EPA 624** <10.0 ug/l ug/l TRANS-1,2-DICHLORO-ETHYLENE <10.0 3 **EPA 624** 10.0 <10.0 ug/l ug/l 1,1-DICHLOROETHYLENE <10.0 ug/l <10.0 ug/l 3 **EPA 624** 10.0 1,2-DICHLOROPROPANE **EPA 624** 10.0 <10.0 3 <10.0 ug/l ug/l 20.0 <20.0 ug/l 3 **EPA 624** 1,3-DICHLORO-PROPYLENE <20.0 ug/l 3 10.0 **ETHYLBENZENE** <10.0 <10.0 ug/l **EPA 624** ug/l 3 **EPA 624** 10.0 METHYL BROMIDE <10.0 <10.0 ug/l ug/l METHYL CHLORIDE <10.0 ug/l <10.0 3 **EPA 624** 10.0 ug/l METHYLENE CHLORIDE <10.0 **EPA 624** 10.0 <10.0 ug/l ug/l 3 <10.0 ug/l 3 **EPA 624** 10.0 1,1,2,2-TETRACHLORO-ETHANE <10.0 ug/l TETRACHLORO-ETHYLENE ug/l <10.0 3 **EPA 624** 10.0 <10.0 ug/l ug/l <10.0 3 **EPA 624** 10.0 **TOLUENE** <10.0 ug/l

Report Limit is lowest concentration at which quantitation is demonstrated. EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

Atlantic STP VA0081248

Outfall number: 001	(Compl	ete onc	e for eac	h outfall					the United S	States.)	
POLLUTANT	MAXIMUM DAILY DISCHARGE			A۱	/ERAGE	DAILY	DISCH				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL Report Limit
1,1,1-TRICHLOROETHANE	<10.0	ug/l			<10.0	ug/l			3	EPA 624	10.0
1,1,2-TRICHLOROETHANE	<10.0	ug/l			<10.0	ug/l			3	EPA 624	10.0
TRICHLORETHYLENE	<10.0	ug/l			<10.0	ug/l			3	EPA 624	10.0
VINYL CHLORIDE	<10.0	ug/l			<10.0	ug/l			3	EPA 624	10.0
Use this space (or a separate shee	t) to provide in	formatio	n on other	volatile c	organic cor	npounds	requeste	d by the p	oermit writer.		
ACID-EXTRACTABLE COMPOUN	IDS										
P-CHLORO-M-CRESOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
2-CHLOROPHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
2,4-DICHLOROPHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
2,4-DIMETHYLPHENOL	<10.0	ug/l	-		<10.0	ug/l			3	EPA 625	10.0
4,6-DINITRO-O-CRESOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
2,4-DINITROPHENOL	<10.0	ug/l			<10.0	ug/l		:	3	EPA 625	10.0
2-NITROPHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
4-NITROPHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
PENTACHLOROPHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
PHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
2,4,6-TRICHLOROPHENOL	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
Use this space (or a separate shee	t) to provide in	formatio	n on other	acid-ext	ractable co	mpound	s requeste	ed by the	permit writer.		
BASE-NEUTRAL COMPOUNDS.			· · · · · · · · · · · · · · · · · · ·	1		·			I		T
ACENAPHTHENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
ACENAPHTHYLENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
ANTHRACENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
BENZIDINE	<5.00	ug/l			<5.00	ug/l			3	EPA 625	5.00
BENZO(A)ANTHRACENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
BENZO(A)PYRENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0

Atlantic STP VA0081248

(Complete once for each outfall discharging effluent to waters of the United States.) Outfall number: 001 POLLUTANT MAXIMUM DAILY AVERAGE DAILY DISCHARGE DISCHARGE Conc. Units Mass Units Conc. Units Mass Units Number **ANALYTICAL** ML/ MDL METHOD Report Limit of Samples <10.0 **EPA 625** 10.0 3,4 BENZO-FLUORANTHENE <10.0 ug/l 3 ug/l BENZO(GHI)PERYLENE <10.0 3 **EPA 625** 10.0 <10.0 ug/l ug/l BENZO(K)FLUORANTHENE <10.0 ug/l <10.0 ug/l 3 EPA 625 10.0 BIS (2-CHLOROETHOXY) 3 EPA 625 10.0 <10.0 ug/l <10.0 ug/l 3 **EPA 625** 10.0 BIS (2-CHLOROETHYL)-ETHER <10.0 ug/l <10.0 ug/l BIS (2-CHLOROISO-PROPYL) ug/l ug/l 3 EPA 625 10.0 <10.0 <10.0 ETHÈR BIS (2-ETHYLHEXYL) PHTHALATE <10.0 ug/l <10.0 ug/l 3 **EPA 625** 10.0 4-BROMOPHENYL PHENYL ETHER <10.0 <10.0 3 **EPA 625** 10.0 ug/l ug/l BUTYL BENZYL PHTHALATE <10.0 ug/l <10.0 ug/l 3 **EPA 625** 10.0 2-CHLORONAPHTHALENE <10.0 <10.0 3 **EPA 625** 10.0 ug/l ug/l <10.0 10.0 4-CHLORPHENYL PHENYL ETHER <10.0 ug/l ug/l 3 **EPA 625** CHRYSENE <10.0 3 EPA 625 10.0 <10.0 ug/l ug/l 3 **EPA 625** 10.0 DI-N-BUTYL PHTHALATE <10.0 ug/l <10.0 ug/l DI-N-OCTYL PHTHALATE <10.0 <10.0 ug/l 3 **EPA 625** 10.0 ug/l <10.0 10.0 DIBENZO(A,H) ANTHRACENE <10.0 3 **EPA 625** ug/l ug/l 1,2-DICHLOROBENZENE <10.0 ug/l <10.0 ug/l 3 **EPA 624** 10.0 <10.0 3 **EPA 624** 10.0 1,3-DICHLOROBENZENE <10.0 ug/l ug/l 1,4-DICHLOROBENZENE 10.0 <10.0 ug/l <10.0 ug/l 3 **EPA 624** 3,3-DICHLOROBENZIDINE <10.0 <10.0 3 **EPA 625** 10.0 ug/l ug/l <10.0 ug/l 3 **EPA 625** 10.0 DIETHYL PHTHALATE <10.0 ug/l <10.0 3 **EPA 625** 10.0 DIMETHYL PHTHALATE <10.0 ug/l ug/l 2,4-DINITROTOLUENE <10.0 <10.0 ug/l 3 **EPA 625** 10.0 ug/l 2.6-DINITROTOLUENE <10.0 **EPA 625** 10.0 <10.0 3 ug/l ug/l <10.0 3 1,2-DIPHENYLHYDRAZINE ug/l ug/l **EPA 625** 10.0 <10.0

Atlantic STP VA0081248

Outfall number: 001	_ (Comp	lete onc	e for ead	ch outfall	l discharç	ging efflu	ient to w	aters of	the United S	States.)	
POLLUTANT MAXIMUM DAILY DISCHARGE						/ERAGE	DAILY	DISCH	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL Report Limit
FLUORANTHENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
FLUORENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
HEXACHLOROBENZENE	<2.00	ug/l			<2.00	ug/l			3	EPA 625	2.00
HEXACHLOROBUTADIENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
HEXACHLOROCYCLO- PENTADIENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
HEXACHLOROETHANE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
INDENO(1,2,3-CD)PYRENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
ISOPHORONE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
NAPHTHALENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
NITROBENZENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
N-NITROSODI-N-PROPYLAMINE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
N-NITROSODI- METHYLAMINE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
N-NITROSODI-PHENYLAMINE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
PHENANTHRENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
PYRENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
1,2,4-TRICHLOROBENZENE	<10.0	ug/l			<10.0	ug/l			3	EPA 625	10.0
Use this space (or a separate sheet) to	provide in	formation	on other	base-neu	itral comp	ounds red	quested b	y the per	mit writer.		J
Use this space (or a separate sheet) to	provide in	formation	on other	pollutant	s (e.g., pe	sticides) r	equested	by the po	ermit writer.		
<u></u>											

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER Atlantic STP VA0081248	ER:		Form Approved 1/14/99 OMB Number 2040-0086
SUPPLEMENTAL APPLIC	ATION INFORMATION		
PART E. TOXICITY TESTING I	DATA		
two species), or the results for results show no appreciable to not include information on column analysis conducted using 40 and other appropriate QA/QC.  In addition, submit the results test conducted during the pass of a toxicity reduction evaluate.  If you have already submitted requested in question E.4 for	s with a design flow rate greater than of FR Part 403); or 3) POTWs required I must include quarterly testing for a 12-cm four tests performed at least annual oxicity, and testing for acute and/or chembined sewer overflows in this section CFR Part 136 methods. In addition, the requirements for standard methods for any other whole effluent toxicity test four and one-half years revealed toxion, if one was conducted.  In any of the information requested in Pereviously submitted information. If Eure available that contain all of the information and the information and the information and the information and the information.	or equal to 1.0 mgd; 2) POTW by the permitting authority to someth period within the past 1 ally in the four and one-half yearonic toxicity, depending on the past 1 information reported must comply with QA/ or analytes not addressed by 4 sts from the past four and one-icity, provide any information of art E, you need not submit it a PA methods were not used, remation requested below, they	Is with a pretreatment program (or those ubmit data for these parameters. year using multiple species (minimum of ars prior to the application, provided the le range of receiving water dilution. Do st be based on data collected through QC requirements of 40 CFR Part 136 to CFR Part 136. If a whole effluent toxicity on the cause of the toxicity or any results gain. Rather, provide the information export the reasons for using alternate may be submitted in place of Part E.
E.1. Required Tests.			
chronic10_acute E.2. Individual Test Data. Complete th		nt toxicity test conducted in the	ing reported.
a. Test information.			
Test species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected	-		
Date test started			
Duration			
b. Give toxicity test methods follow	ed.		
Manual title			
Edition number and year of publication			
Page number(s)			
c. Give the sample collection meth	od(s) used. For multiple grab samples	s, indicate the number of grab	samples used.
24-Hour composite			
Grab			
d. Indicate where the sample was t	aken in relation to disinfection. (Check	all that apply for each)	-

Before disinfection

After disinfection

After dechlorination

ACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99
ilantic STP VA0081248	OMB Number 2040-0086

	Test number:	Test number:	Test number:							
e. Describe the point in the treatme	e. Describe the point in the treatment process at which the sample was collected.									
Sample was collected:										
f. For each test, include whether the	e test was intended to assess chroni	c toxicity, acute toxicity, or both.								
Chronic toxicity										
Acute toxicity										
g. Provide the type of test performe	d.									
Static										
Static-renewal										
Flow-through										
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.								
Laboratory water										
Receiving water										
i. Type of dilution water. It salt wate	er, specify "natural" or type of artificia	al sea salts or brine used.	***							
Fresh water										
Salt water										
j. Give the percentage effluent used	for all concentrations in the test seri	ies.								
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)								
рН										
Salinity										
Temperature										
Ammonia										
Dissolved oxygen			·							
I. Test Results.										
Acute:										
Percent survival in 100% effluent	%	%	%							
LC <sub>50</sub>										
95% C.I.	%	%	%							
Control percent survival	%	%	%							
Other (describe)										

FACILITY NAME AND PERMIT NUMBE Atlantic STP VA0081248	R:		Form Approved 1/14/99 OMB Number 2040-0086					
Chronic:								
NOEC	%	%	%					
IC <sub>25</sub>	%	%	%					
Control percent survival	%	%	%					
Other (describe)								
m. Quality Control/Quality Assurar	nce.							
Is reference toxicant data available?								
Was reference toxicant test within acceptable bounds?								
What date was reference toxicant test run (MM/DD/YYYYY)?								
Other (describe)								
E.3. Toxicity Reduction Evaluation. Is	the treatment works involved in a To	xicity Reduction Evaluation?						
YesNo If yes	describe:							
E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results.  10/31/2012; 12/18/2013; 01/05/2015; 08/10/2015; 04/14/2016  Date submitted: (MM/DD/YYYY)  Summary of results: (see instructions)  All tests met the water quality based decision criterion of acute LC50>3% effluent. See attachment #1 for more information.								
REFER TO THE APPLICA	END OF PA		ER PARTS OF FORM					

2A YOU MUST COMPLETE.

EPA Form 3510-2A (Rev. 1-99). Replaces EPA forms 7550-6 & 7550-22.

	CILITY NAME AND PERI ntic STP VA0081248	/IIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086				
SU	PPLEMENTAL	APPLICATION INFORMATION					
All t		AL USER DISCHARGES AND RCRA/CERCI	_A WASTES ich receive RCRA, CERCLA, or other remedial wastes must				
GE	NERAL INFORMAT	ION:					
F.1.	Pretreatment Program  ✓ YesNo	. Does the treatment works have, or is it subject to, an a	pproved pretreatment program?				
F.2.		t Industrial Users (SIUs) and Categorical Industrial Us discharge to the treatment works.	sers (CIUs). Provide the number of each of the following types				
	a. Number of non-cat	egorical SIUs. <u>3</u>					
	b. Number of CIUs.	1					
SIG	NIFICANT INDUST	RIAL USER INFORMATION:					
Sup	ply the following inforn		to the treatment works, copy questions F.3 through F.8				
			h SIU discharging to the treatment works. Submit additional				
	Mailing Address:	1501 Harpers Road Virginia Beach,	VA 23454				
F.4.		Describe all of the industrial processes that affect or con f compressed gas equipment. Metal f					
F.5.	Principal Product(s) a discharge.	and Raw Material(s). Describe all of the principal process	ses and raw materials that affect or contribute to the SIU's				
	Principal product(s):	Welding equipment, torches, regulator	ors, flow meters				
	Raw material(s):	Copper, brass, aluminum, stainless s	teel				
F.6.	Flow Rate.						
	per day (gpd) and v	r flow rate. Indicate the average daily volume of process whether the discharge is continuous or intermittent.	wastewater discharged into the collection system in gallons				
	system in gallons p	water flow rate. Indicate the average daily volume of nor er day (gpd) and whether the discharge is continuous or indicate the discharge is continuous orintermittent)					
F.7.	Pretreatment Standard	is. Indicate whether the SIU is subject to the following:					
	a. Local limits	<u>√</u> YesNo					
	b. Categorical pretrea	tment standardsNo					
	If subject to categorical	pretreatment standards, which category and subcategory	?				

FACI	LIT	Y NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086							
Atlan	tic S	STP VA0081248		GMB Number 2010 cook						
F.8.	Pro	oblems at the Treatment Works Attributed to Waste Discharged sets, interference) at the treatment works in the past three years?	by th	e SIU. Has t	he SIU caused or co	ontributed to any proble	ems (e.g.,			
	Yes_√_No If yes, describe each episode.									
	_									
RCR	A F	HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR D	EDIC	CATED PIP	ELINE:					
	RC	RA Waste. Does the treatment works receive or has it in the past the?Yes _✓_No (go to F.12.)				waste by truck, rail, or	dedicated			
F.10.	Wa	aste Transport. Method by which RCRA waste is received (check a	all tha	t apply):						
		TruckRailDedicated Pipe								
F.11.		aste Description. Give EPA hazardous waste number and amount  A Hazardous Waste Number  Amount	(volu	me or mass,	specify units).  Units					
	EP	A Hazardous Waste Number Amount			OTHES					
	_			-	1000					
				-						
				-						
CER ACT	CL	A (SUPERFUND) WASTEWATER, RCRA REMEDIATION/0 I WASTEWATER, AND OTHER REMEDIAL ACTIVITY WA	STE	RECTIVE WATER:						
F.12.	Re	mediation Waste. Does the treatment works currently (or has it be		otified that it v	vill) receive waste fro	om remedial activities?				
		Yes (complete F.13 through F.15.)	No							
	Pr	ovide a list of sites and the requested information (F.13 - F.15.) for $\epsilon$	each d	current and fu	ıture site.					
F.13.	<b>W</b> ain t	aste Origin. Describe the site and type of facility at which the CERC he next five years).	CLA/F	RCRA/or othe	r remedial waste oriç	ginates (or is expected	to originate			
F.14.	Po kno	ollutants. List the hazardous constituents that are received (or are ebwn. (Attach additional sheets if necessary).	expec	ted to be rece	eived). Include data	on volume and concer	ntration, if			
F.15.	Wa	aste Treatment.								
	a.	Is this waste treated (or will it be treated) prior to entering the treate	ment	works?						
		YesNo								
		If yes, describe the treatment (provide information about the remove	/al eff	ficiency):						
	b.	Is the discharge (or will the discharge be) continuous or intermitter	nt?							
				escribe disch	arge schedule.					

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

Form Approved 1/14/99 FACILITY NAME AND PERMIT NUMBER: OMB Number 2040-0086 Atlantic STP VA0081248 SUPPLEMENTAL APPLICATION INFORMATION PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F. **GENERAL INFORMATION:** F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program? F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works. a. Number of non-categorical SIUs. b. Number of CIUs. SIGNIFICANT INDUSTRIAL USER INFORMATION: Supply the following information for each SIU. If more than one SIU discharges to the treatment works, copy questions F.3 through F.8 and provide the information requested for each SIU. Significant Industrial User Information. Provide the name and address of each SIU discharging to the treatment works. Submit additional pages as necessarv. Department of the Navy, Naval Air Station Oceana Name: 1510 Gilbert Street Building N26, Rm 3208, Norfolk, VA 23511 Mailing Address: F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge. National Security, Air Support, Training Center F.5. Principal Product(s) and Raw Material(s). Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge. None Principal product(s): None Raw material(s): F.6. Flow Rate. a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. ( continuous or \_\_\_\_intermittent) 84,000 gpd Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent. ( \(\sigma\_\)\_continuous or \_\_\_\_\_intermittent) gpd F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following: a. Local limits

If subject to categorical pretreatment standards, which category and subcategory?

b. Categorical pretreatment standards Yes

FACILITY NAME AND PERMIT NUMBER: Atlantic STP VA0081248						Form Approved 1/14/99 OMB Number 2040-0086		
Atlan	IIC STP	VA0081248						
F.8.				ed to Waste Discharged by t in the past three years?	<b>he SIU.</b> Has	the SIU caused or contribute	d to any problems (e.g.,	
	Ye	s <u>√</u> No	If yes, describe	each episode.				
				And the second s				
				Y TRUCK, RAIL, OR DEDI				
F.9.	RCRA V pipe?	Vaste. Does Yes _✓	the treatment works red _No (go to F.12.)	ceive or has it in the past three	years receiv	ed RCRA hazardous waste by	/ truck, rail, or dedicated	
F.10.	Waste <sup>-</sup>	Transport. M	lethod by which RCRA	waste is received (check all th	at apply):			
		Truck	Rail	Dedicated Pipe				
F 11	Wasta i	Description	Give EPA hazardous w	vaste number and amount (vol	ime or mass	specify units)		
		zardous Was		<u>Amount</u>		<u>Units</u>		
			4	@0000000000000000000000000000000000000				
CER	CLA (SI	UPERFUND STEWATEI	) WASTEWATER, F R, AND OTHER REM	RCRA REMEDIATION/COF	RECTIVE			
				orks currently (or has it been n		will) receive waste from reme	dial activities?	
	Ye	es (complete	F.13 through F.15.)	<u> </u>				
	Provide	a list of sites	and the requested info	rmation (F.13 - F.15.) for each	current and t	future site.		
E 42	Masta (	Origin Doso	ribe the cite and type of	facility at which the CERCLA/	PCPA/or oth	or romodial wasto originates (	or is expected to originate	
г.13.		ext five years)		lacility at which the outlock	CONTROL OUT	er remediai waste originates (	or is expedied to originate	
						AMAZINI AMAZIN	W1	
F.14.				that are received (or are expec	cted to be red	ceived). Include data on volur	me and concentration, if	
	known.	(Attach additi	onal sheets if necessar	у).				
F.15.		Freatment.						
			,	prior to entering the treatment	WOFKS?			
		_YesNo		formation about the removal et	ficiency):			
	ii ye	s, describe in	e treatment (provide in	ioimation about the removal en	nciency).			
		-						
	b. Is th	• .	_	) continuous or intermittent?				
		_Continuous	Inter	mittent If intermittent, o	lescribe disc	harge schedule.		

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

	ILITY NAME AND PERI	MIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
su	PPLEMENTAL	APPLICATION INFORMATION	
All tı		AL USER DISCHARGES AND RCRA/CE	RCLA WASTES or which receive RCRA, CERCLA, or other remedial wastes must
GEI	NERAL INFORMAT	ΓΙΟΝ:	
F.1.	Pretreatment Program	n. Does the treatment works have, or is it subject to,	an approved pretreatment program?
F.2.		nt Industrial Users (SIUs) and Categorical Industri discharge to the treatment works.	ial Users (CIUs). Provide the number of each of the following types
	a. Number of non-cat	tegorical SIUs. 3	
	b. Number of CIUs.	1	
810	NIEICANT INDUST	TRIAL USER INFORMATION:	
1905, 195			rges to the treatment works, copy questions F.3 through F.8
		n requested for each SIU.	iges to the treatment workey copy quotiene to through the
F.3.	Significant Industrial pages as necessary.  Name:	User Information. Provide the name and address of City of Virginia Beach, Landfill #2	of each SIU discharging to the treatment works. Submit additional
	Mailing Address:	1989 Jake Sears Road Virginia Beach, VA 23464	
		Vilginia Beach, VA 20404	
F.4.	Industrial Processes. Municipal Lanc	. Describe all of the industrial processes that affect of a string that the string of	or contribute to the SIU's discharge.
F.5.	Principal Product(s) a discharge.	and Raw Material(s). Describe all of the principal p	rocesses and raw materials that affect or contribute to the SIU's
	Principal product(s):	None	
	Raw material(s):	None	
F.6.	Flow Rate.		
	per day (gpd) and	whether the discharge is continuous or intermittent.	ocess wastewater discharged into the collection system in gallons
	<u>255,000</u> g	pd (continuous orintermittent)	
	system in gallons p	per day (gpd) and whether the discharge is continuou	of non-process wastewater flow discharged into the collection us or intermittent.
	<u>0</u> g	pd (continuous orintermittent)	
F.7.	Pretreatment Standar	ds. Indicate whether the SIU is subject to the follow	ing:
	a. Local limits	✓_YesNo	-
		atment standardsYesNo	
		I pretreatment standards, which category and subca	tegory?

FAC	LIT	Y NAME AND PERMIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086		
Atlan	tic :	STP VA0081248	OWIS NUMBER 2040-0000			
F.8.		oblems at the Treatment Works Attributed to Waste Discha sets, interference) at the treatment works in the past three yea		ne SIU. Has the SIU caused or contributed to any problems (e.g.,		
		Yes ✓ No If yes, describe each episode.				
RCR	AI	HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, (	OR DEDIC	CATED PIPELINE:		
F.9.		RA Waste. Does the treatment works receive or has it in the pe?Yes _✓No (go to F.12.)	oast three y	years received RCRA hazardous waste by truck, rail, or dedicated		
F.10.	w	aste Transport. Method by which RCRA waste is received (cl	neck all tha	at apply):		
		TruckRailDedicated Pi				
				<b>7</b>		
F.11.		aste Description. Give EPA hazardous waste number and an A Hazardous Waste Number Amount	nount (volu	ime or mass, specify units). <u>Units</u>		
CED		A (CLIDEDELIND) WASTEWATED DODA DEMEDIAT	IONICOR	DECTIVE		
		A (SUPERFUND) WASTEWATER, RCRA REMEDIAT N WASTEWATER, AND OTHER REMEDIAL ACTIVITY				
F.12.	Re	emediation Waste. Does the treatment works currently (or has	s it been no	otified that it will) receive waste from remedial activities?		
		Yes (complete F.13 through F.15.)	_ <b>√</b> _No			
	Pr	rovide a list of sites and the requested information (F.13 - F.15.	) for each o	current and future site.		
E 42	10/	cote Ovinin. Describe the cite and type of facility at which the	CEDOLA/E	RCRA/or other remedial waste originates (or is expected to originate		
Г.13.		the next five years).	OLNOLAIN	Control of the Terriedia waste originates (or is expected to originate		
	-					
F.14.	Po	ollutants. List the hazardous constituents that are received (or	are expec	eted to be received). Include data on volume and concentration, if		
	kn	own. (Attach additional sheets if necessary).	·	•		
				A A A A A A A A A A A A A A A A A A A		
F.15.	W	aste Treatment.				
	a.	Is this waste treated (or will it be treated) prior to entering the	treatment	works?		
		YesNo				
		If yes, describe the treatment (provide information about the	emoval eff	ficiency):		
	b.	Is the discharge (or will the discharge be) continuous or interr	mittent?			
				escribe discharge schedule.		
		<u> </u>				

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

	ILITY NAME AND PER	MIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
19. [37]		APPLICATION INFORMATION	
All tı		AL USER DISCHARGES AND RCRA	CERCLA WASTES rs or which receive RCRA, CERCLA, or other remedial wastes must
GEI	NERAL INFORMA	TION:	
F.1.	Pretreatment Program	<ul> <li>Does the treatment works have, or is it subject</li> </ul>	t to, an approved pretreatment program?
F.2.		nt Industrial Users (SIUs) and Categorical Indudischarge to the treatment works.	ustrial Users (CIUs). Provide the number of each of the following types
	a. Number of non-ca	-	
	b. Number of CIUs.	1	
SIG	NIFICANT INDUST	TRIAL USER INFORMATION:	
Supp	oly the following inform	마음하는 얼마는 문 하면 하는 사람들이 얼마를 모든 것은 사람들이 다 없었다.	charges to the treatment works, copy questions F.3 through F.8
F.3.		User Information. Provide the name and addre	ss of each SIU discharging to the treatment works. Submit additional
	pages as necessary.  Name:	YUPO Corporation America	
	Mailing Address:	800 Yupo Court	·
		Chesapeake, VA 23320	·
F.4.		. Describe all of the industrial processes that affermanufacturing	ect or contribute to the SIU's discharge.
F.5.	Principal Product(s) discharge.	and Raw Material(s). Describe all of the princip	al processes and raw materials that affect or contribute to the SIU's
	Principal product(s):	Synthetic Paper	
	Raw material(s):	Polypropylene, polyethylene, c	alcium carbonate, titanium dioxide
F.6.	Flow Rate.		
	Process wastewate per day (gpd) and	er flow rate. Indicate the average daily volume of whether the discharge is continuous or intermitte	process wastewater discharged into the collection system in gallons nt.
	<u>32,000</u> g	pd (intermittent)	
	system in gallons	per day (gpd) and whether the discharge is contin	me of non-process wastewater flow discharged into the collection nuous or intermittent.
	<u>2,000</u> g	pu ( - continuous ofintermitterit)	
F.7.	Pretreatment Standar	ds. Indicate whether the SIU is subject to the following	lowing:
	a. Local limits	No	
	b. Categorical pretrea	atment standardsYesNo	
	If subject to categorica	l pretreatment standards, which category and su	bcategory?

		Y NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086		
Atlant	tic S	STP VA0081248			
F.8.	Pro	blems at the Treatment Works Attributed to Waste Discharged by sets, interference) at the treatment works in the past three years?	the SIU. Has the SIU caused or contributed to any problems (e.g.,		
		Yes_✓_No If yes, describe each episode.	•		
RCR	Δŀ	HAZARDOUS WASTE RECEIVED BY TRUCK, RAIL, OR DEC	ICATED PIPELINE:		
	RC	RA Waste. Does the treatment works receive or has it in the past three e?Yes _✓_No (go to F.12.)			
F 10	\٨/ء	aste Transport. Method by which RCRA waste is received (check all the	nat apply):		
1.10.	***	Truck RailDedicated Pipe	ion app.y/		
	-				
F.11.	Wa	aste Description. Give EPA hazardous waste number and amount (vo	lume or mass, specify units).		
	<u>EP</u>	A Hazardous Waste Number Amount	<u>Units</u>		
-	_				
CER	CL	A (SUPERFUND) WASTEWATER, RCRA REMEDIATION/CO I WASTEWATER, AND OTHER REMEDIAL ACTIVITY WAST	RRECTIVE EWATER:		
		mediation Waste. Does the treatment works currently (or has it been			
		Yes (complete F.13 through F.15.)No			
	— Pr	ovide a list of sites and the requested information (F.13 - F.15.) for each	n current and future site.		
F.13.		aste Origin. Describe the site and type of facility at which the CERCLA he next five years).	/RCRA/or other remedial waste originates (or is expected to originate		
	_				
F.14	. Po kno	ollutants. List the hazardous constituents that are received (or are exposure. (Attach additional sheets if necessary).	ected to be received). Include data on volume and concentration, if		
F.15	W	aste Treatment.			
		Is this waste treated (or will it be treated) prior to entering the treatmen	nt works?		
	۵.	Yes No			
		If yes, describe the treatment (provide information about the removal	efficiency):		
		, 5-5, 2005, 200 2, 100 2, 200, 200, 200, 200, 200,	•		
	b.	Is the discharge (or will the discharge be) continuous or intermittent?			
		ContinuousIntermittent If intermittent	describe discharge schedule.		
			·		

END OF PART F.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

### **FACILITY NAME AND PERMIT NUMBER:**

Atlantic STP VA0081248

Not Applicable

Form Approved 1/14/99 OMB Number 2040-0086

### SUPPLEMENTAL APPLICATION INFORMATION

### PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
  - a. All CSO discharge points.
  - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
  - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2.** System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
  - a. Locations of major sewer trunk lines, both combined and separate sanitary.
  - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
  - c. Locations of in-line and off-line storage structures.
  - d. Locations of flow-regulating devices.
  - e. Locations of pump stations.

cso c	OUTFALLS:			
Comple	ete questions G.3 throu	gh G.6 once for each CSO discharge point.		
G.3. De	scription of Outfall.			
a.	. Outfall number			
b.	Location	(City or town, if applicable)	(Zip Code)	
		(County)	(State)	
		(Latitude)	(Longitude)	
C.	Distance from shore (if	applicable)	ft.	
d.	. Depth below surface (i	f applicable)	ft.	
e.	Which of the following	were monitored during the last year for this CS	60?	
	Rainfall	CSO pollutant concentrationsReceiving water quality	CSO frequency	
f.		ts were monitored during the last year?		
G.4. CS	SO Events.			
a.	. Give the number of CS	SO events in the last year.		
	events (_	actual or approx.)		
b.	. Give the average dura	tion per CSO event.		
	hours (	actual or approx.)		

## FACILITY NAME AND PERMIT NUMBER: Form Approved 1/14/99 OMB Number 2040-0086 Not Applicable Atlantic STP VA0081248 c. Give the average volume per CSO event. \_ million gallons (\_\_\_\_\_ actual or \_\_\_\_ approx.) d. Give the minimum rainfall that caused a CSO event in the last year. \_ inches of rainfall G.5. Description of Receiving Waters. a. Name of receiving water: b. Name of watershed/river/stream system:\_\_\_ United States Soil Conservation Service 14-digit watershed code (if known): \_\_\_\_\_ c. Name of State Management/River Basin: United States Geological Survey 8-digit hydrologic cataloging unit code (if known): G.6. CSO Operations. Describe any known water quality impacts on the receiving water caused by this CSO (e.g., permanent or intermittent beach closings, permanent or intermittent shell fish bed closings, fish kills, fish advisories, other recreational loss, or violation of any applicable State water quality standard).

END OF PART G.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE.

## VIRGINIA DEQ NO EXPOSURE CERTIFICATION FOR EXCLUSION FROM VPDES STORM WATER PERMITTING

Submission of this No Exposure Certification constitutes notice that the entity identified below does not require permit authorization for its storm water discharges associated with industrial activity under the VPDES Permit Program due to the existence of a condition of No Exposure.

A condition of No Exposure exists at an industrial facility when all industrial materials and activities are protected by a storm resistant shelter to prevent exposure to rain, snow, snowmelt, and/or runoff. Industrial materials or activities include, but are not limited to, material handling equipment or activities, industrial machinery, raw materials, intermediate products, byproducts, final products, or waste products. Material handling activities include the storage, loading and unloading, transportation, or conveyance of any raw material, intermediate product, final product or waste product. A storm resistant shelter is not required for the following industrial materials and activities:

- drums, barrels, tanks, and similar containers that are tightly sealed, provided those containers are not deteriorated and do not leak. "Sealed" means banded or otherwise secured and without operational taps or valves;
- adequately maintained vehicles used in material handling; and
- final products, other than products that would be mobilized in storm water discharges (e.g., rock salt).

A No Exposure Certification must be provided for each facility qualifying for the No Exposure exclusion. In addition, the exclusion from VPDES permitting is available on a facility-wide basis only, not for individual outfalls. If any industrial activities or materials are or will be exposed to precipitation, the facility is not eligible for the No Exposure exclusion.

By signing and submitting this No Exposure Certification form, the entity below is certifying that a condition of No Exposure exists at its facility or site, and is obligated to comply with the terms and conditions at 9 VAC 25-31-120 E (the VPDES Permit Regulation).

	Please Type or Print All Information. ALL INFORMATION ON THIS FORM MUST BE PROVIDED.
1.	Facility Operator Information
	Name: Hampton Roads Sanitation District
	Mailing Address: 1434 Air Rail Avenue
	City: Virginia Beach State: VA Zip: 23455 Phone: 757-460-2261
2.	Facility/Site Location Information Facility Name: Atlantic STP
	Address: 645 Firefall Drive
	City: Virginia Beach State: VA Zip: 23454
	County Name: NA
	Latitude: 36 46' 15" N Longitude: 75 58' 15" N
3.	Was the facility or site previously covered under a VPDES storm water permit? Yes ⊠ No □
	If "Yes", enter the VPDES permit number: VA0081248
4.	SIC/Activity Codes: Primary: 4952 Secondary (if applicable):
5.	Total size of facility/site associated with industrial activity: 48.4 acres
3.	Have you paved or roofed over a formerly exposed pervious area in order to qualify for the No Exposure exclusion? Yes $\square$ No $\boxtimes$
	If "Yes", please indicate approximately how much area was paved or roofed. Completing this question does not disqualify you for the No Exposure exclusion. However, DEQ may use this information in considering whether storm water discharges from your site are likely to have an adverse impact on water quality, in which case you could be required to obtain permit coverage.
	Less than one acre  One to five acres  More than five acres

## 7. Exposure Checklist Are any of the following materials or activities exposed to precipitation, now or in the foreseeable future? (Please check either "Yes" or "No" in the appropriate box.) If you answer "Yes" to any of these questions (1) through (11), you are not eligible for the No Exposure exclusion. No (1) Using, storing or cleaning industrial machinery or equipment, and areas where residuals from using, storing or cleaning industrial machinery or equipment remain and are exposed to storm water (2) Materials or residuals on the ground or in storm water inlets from spill/leaks (3) Materials or products from past industrial activity (4) Material handling equipment (except adequately maintained vehicles) (5) Materials or products during loading/unloading or transporting activities (6) Materials or products stored outdoors (except final products intended for outside use [e.g., new cars] where exposure to storm water does not result in the discharge of pollutants) (7) Materials contained in open, deteriorated or leaking storage drums, barrels, tanks, and similar containers (8) Materials or products handled/stored on roads or railways owned or maintained by the discharger (9) Waste material (except waste in covered, non-leaking containers [e.g., dumpsters]) (10) Application or disposal of process wastewater (unless otherwise permitted) (11) Particulate matter or visible deposits of residuals from roof stacks and/or vents not otherwise regulated (i.e., under an air quality control permit) and evident in the storm water outflow 8. Certification Statement I certify under penalty of law that I have read and understand the eligibility requirements for claiming a condition of no exposure and obtaining an exclusion from VPDES storm water permitting; and that there are no discharges of storm water contaminated by exposure to industrial activities or materials from the industrial facility identified in this document (except as allowed under 9 VAC 25-31-120 E 2). I understand that I am obligated to submit a No Exposure Certification form once every five years to the Department of Environmental Quality and, if requested, to the operator of the local MS4 into which this facility discharges (where applicable). I understand that I must allow the Department, or MS4 operator where the discharge is into the local MS4, to perform inspections to confirm the condition of no exposure and to make such inspection reports publicly available upon request. I understand that I must obtain coverage under a VPDES permit prior to any point source discharge of storm water associated with industrial activity from the facility. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly involved in gathering the information, the information submitted is to the best of my knowledge and belief true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. Edward G. Henifin, P.E. Print Name: General Manager Print Title: Signature: Date:

For Department of Environmental Quality Use Only

Accepted/Not Accepted by:

Date:

# Instructions for the NO EXPOSURE CERTIFICATION For Exclusion from VPDES Storm Water Permitting

### Who May File a No Exposure Certification

In accordance with the Clean Water Act and the State Water Control Law, all industrial facilities that discharge storm water associated with industrial activity (as defined at 9 VAC 25-31-10) must apply for coverage under a VPDES permit. However, permit coverage is not required for industrial activity storm water discharges from a facility if the discharger can certify that a condition of "no exposure" exists at the facility or site.

#### Obtaining and Maintaining the No Exposure Exclusion

This form is used to certify that a condition of no exposure exists at the industrial facility or site described herein. This certification must be re-submitted at least once every five years.

The industrial facility operator must maintain a condition of no exposure at the facility or site in order for the no exposure exclusion to remain applicable. If conditions change resulting in the exposure of materials and/or activities to storm water, the facility operator must immediately obtain coverage under a VPDES storm water permit.

### Where To File The No Exposure Certification

Submit the completed No Exposure Certification form with original signature to the DEQ Regional Office that serves the area where your facility is located. DEQ Regional Office addresses can be obtained from DEQ's website at <a href="https://www.deq.virginia.gov/regions">www.deq.virginia.gov/regions</a>, or by calling the DEQ at (804) 698-4000.

### Completing The Form

Please type or print all Information. ALL INFORMATION ON THE FORM MUST BE PROVIDED. One form must be completed for each facility or site for which you are seeking to certify a condition of no exposure.

### Section 1 Facility Operator Information

Give the legal name (no nicknames or colloquial names) of the person, firm, public organization, or any other entity that operates the facility or site described in this certification. The name of the operator may or may not be the same as the name of the facility. The operator is the legal entity that controls the facility's operation, rather than the plant or site manager. Enter the complete address and telephone number of the operator.

#### Section 2 Facility Location Information

Enter the facility's official or legal name and complete street address. Also enter the county name and the latitude and longitude of the approximate center of the facility in degrees/minutes/seconds to the nearest 15 seconds.

### Section 3 Previous VPDES Permit Coverage

Indicate whether the facility was previously covered under a VPDES storm water permit. If so, include the permit number.

#### Section 4 Standard Industrial Classification Codes

Enter the 4-digit SIC code which identifies the facility's primary activity, and second 4-digit SIC code identifying the facility's secondary activity, if applicable. SIC codes can be obtained from the Office of Management and Budget Standard Industrial Classification Manual, 1987.

### Section 5 Facility Industrial Activity Area

Enter the total size of the site associated with industrial activity in acres.

#### Section 6 Formerly Exposed Pervious Area

Indicate whether you have paved or roofed over a formerly exposed, pervious area (i.e., lawn, meadow, dirt or gravel road/parking lot) in order to qualify for no exposure. If "yes", also indicate approximately how much area was paved or roofed over and is now impervious area.

### Section 7 Exposure Checklist

Check "Yes" or "No" as appropriate to describe the exposure conditions at your facility. If you answer "Yes" to **ANY** of the questions (1) through (11) in this section, a potential for exposure exists at your site and you cannot certify to a condition of no exposure. You must obtain (or already have) coverage under a VPDES storm water permit. After obtaining permit coverage, you can institute modifications to eliminate the potential for a discharge of storm water exposed to industrial activity, and then certify to a condition of no exposure.

### Section 8 Certification

State statutes provide for severe penalties for submitting false information on this application form. State regulations require this No Exposure Certification to be signed as follows:

For a corporation: by a responsible corporate officer, which means: (i) president, secretary, treasurer, or vicepresident of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities, provided the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to long term environmental compliance environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

For a partnership or sole proprietorship: by a general partner or the proprietor; or

For a municipality, State, Federal, or other public facility: by either a principal executive or ranking elected official.

2F NPDES SEF U.S. Environmental Protection Agency Washington, DC 20460

# Application for Permit to Discharge Storm Water Discharges Associated with Industrial Activity

#### **Paperwork Reduction Act Notice**

Public reporting burden for this application is estimated to average 28.6 hours per application, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate, any other aspect of this collection of information, or suggestions for improving this form, including suggestions which may increase or reduce this burden to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, or Director, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

#### **Outfall Location** For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water. D. Receiving Water A. Outfall Number B. Latitude C. Longitude (name) (list) 002 36 46 25 -75 58 25 Lake Tecumseh 003 36 46 23 -75 58 17 Lake Tecumseh 46 004 36 21 -75 58 16 Lake Tecumseh 36 46 21 -75 58 16 Lake Tecumseh 005 16 Lake Tecumseh 006 36 46 20 -75 58 -75 007 36 46 18 58 16 Lake Tecumseh -75 58 36 46 15 Lake Tecumseh 800 16 36 46 14 58 15 Lake Tecumseh 009 -75 Removed during plant expansion construction 010 See attached sheet for outfalls 011 - 017

### II. Improvements

A. Are you now required by any Federal, State, or local authority to meet any implementation schedule for the construction, upgrading or operation of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.

1. Identification of Conditions,		2. Affected Outfalls	Brief Description of Project	4. F Complia	4. Final Compliance Date	
Agreements, Etc.	number	source of discharge		a. req.	b. proj.	
lone						

B: You may attach additional sheets describing any additional water pollution (or other environmental projects which may affect your discharges) you now have under way or which you plan. Indicate whether each program is now under way or planned, and indicate your actual or planned schedules for construction.


### III. Site Drainage Map

Attach a site map showing topography (or indicating the outline of drainage areas served by the outfalls(s) covered in the application if a topographic map is unavailable) depicting the facility including: each of its intake and discharge structures; the drainage area of each storm water outfall; paved areas and buildings within the drainage area of each storm water outfall, each known past or present areas used for outdoor storage of disposal of significant materials, each existing structural control measure to reduce pollutants in storm water runoff, materials loading and access areas, areas where pesticides, herbicides, soil conditioners and fertilizers are applied; each of its hazardous waste treatment, storage or disposal units (including each area not required to have a RCRA permit which is used for accumulating hazardous waste under 40 CFR 262.34); each well where fluids from the facility are injected underground; springs, and other surface water bodies which received storm water discharges from the facility.

## Atlantic STP VA0081248 Storm Water Application Attachment

## I. Outfall Location

Outfall Number	Latit	ude		Long	jitude		Receiving Water
011	36	46	13	-75	58	17	Lake Tecumseh
012	36	46	13	-75	58	17	Lake Tecumseh
013							Removed during plant expansion construction
014	36	46	5	-75	58	19	Lake Tecumseh
015							Removed during plant expansion construction
016	36	46	8	-75	58	30	Lake Tecumseh
017	36	46	27	-75	58	20	Lake Tecumseh (new outfall installed during plant expansion construction)



### IV. Narrative Description of Pollutant Sources

A. For each outfall, provide an estimate of the area (include units) of imperious surfaces (including paved areas and building roofs) drained to the outfall, and an estimate of the total surface area drained by the outfall.

(provide units)

B. Provide a narrative description of significant materials that are currently or in the past three years have been treated, stored or disposed in a manner to allow exposure to storm water; method of treatment, storage, or disposal; past and present materials management practices employed to minimize contact by these materials with storm water runoff; materials loading and access areas, and the location, manner, and frequency in which pesticides, herbicides, soil conditioners, and fertilizers are applied.

Significant materials present on the plant site are managed in accordance with storm water pollution prevention plan. Storage of all materials is accomplished in one of two scenarios; 1. Inside of building having drain systems connected to plant. or 2. Outside storage areas having containment areas and sump pumps.

Fuels are contained in double-walled underground storage tanks with release detection systems.

Chemicals on site include Sodium Hypochlorite, Sodium Hydroxide, Muriatic Acid, #2 Fuel Oil, Diesel Fuel, Propane, Polymer, Ferric Chloride, Gasoline, and Methane.

Plant has submitted no exposure certification with this application.

C. For each outfall, provide the location and a description of existing structural and nonstructural control measures to reduce pollutants in storm water runoff; and a description of the treatment the storm water receives, including the schedule and type of maintenance for control and treatment measures and the ultimate disposal of any solid or fluid wastes other than by discharge.

Outfall Number	Treatment	List Codes from Table 2F-1
	Each drainage area has containment around each potential pollutant material. Good housekeeping procedures are employed at all sites. Biosolids are stored on sheltered concrete pads.	

### V. Nonstormwater Discharges

A. I certify under penalty of law hat the outfall(s) covered by this application have been tested or evaluated for the presence of nonstormwater discharges, and that all nonstormwater discharged from these outfall(s) are identified in either an accompanying Form 2C or From 2E application for the outfall.

Name and Official Title (type or print)

Edward G. Henifin, General Manager

Signature MMB/MV

7/19/24

B. Provide a description of the method used, the date of any testing, and the onsite drainage points that were directly observed during a test.

Careful analysis of accurate schematics and annual visual inspections during dry weather conditions. Periodic inspections of outfalls conducted as outlined in storm water pollution prevention plan.

### VI. Significant Leaks or Spills

Provide existing information regarding the history of significant leaks or spills of toxic or hazardous pollutants at the facility in the last three years, including the approximate date and location of the spill or leak, and the type and amount of material released.

January 26, 2014 - 55 gallons of Non-Potable Water (NPW) soaked into ground

January 19, 2016 - 170 gallons of NPW soaked into ground

µanuary 20, 2016 - 25 gallons of primary digester solids soaked into ground

March 9, 2016 - 100 gallons of NPW soaked into ground

## Atlantic STP VA0081248 Storm Water Application Attachment

## IV. Narrative Description of Pollutant Sources

A. For each outfall, provide an estimate of the area (include units) of impervious surfaces (including paved areas and building roofs) drained to the outfall, and an estimate of the total surface area drained by the outfall.

Outfall Number	Area of Impervious Surface (ft²)	Total Area Drained (ft²)
002	153,617	252,144
003	10,281	38,035
004	11,252	25,041
005	133,359	303,260
006	7,626	26,374
007	9,690	50,364
800	3,804	58,283
009	3,641	15,439
011	324	54,421
012	32,900	32,900
014	316,379	1,025,181
016	14,894	14,894
017	32,883	68,854

Continued from Page 2	EFA ID Number (copy from nem	T OF FORM 1)		
VII. Discharge Information				
A, B, C, & D: See instructions before proceed Table VII-A, VII-B, VII-C are incl	ling. Complete one set of tables for each outfall. luded on separate sheets numbers VII-1 and VI		ll number in the sp	ace provided.
E. Potential discharges not covered by analyst currently use or manufacture as an intermed	sis – is any toxic pollutant listed in table 2F-2 diate or final product or byproduct?	, 2F-3, or 2F-4, a	substance or a co	omponent of a substance which you
Yes (list all such pollutants below	)	✓ No (go	to Section IX)	
VIII. Biological Toxicity Testing Data				
Do you have any knowledge or reason to believ		xicity has been ma	de on any of your	discharges or on a receiving water in
relation to your discharge within the last 3 years  Yes (list all such pollutants below)		No (go	to Section IX)	
Tes (list all such poliutaries below)		<u> </u>	10 000110111111	
IX. Contract Analysis Information  Were any of the analyses reported in Item VII portion  Yes (list the name, address, and to	erformed by a contract laboratory or consulting elephone number of, and pollutants	I CONTRACTOR OF THE PARTY OF TH	to Section X)	
analyzed by, each such labor				D. Pollutants Analyzed
A. Name	B. Address	C. Area Cod	e & Phone No.	D. Folidants Analyzed
X. Certification				
I certify under penalty of law that this documer that qualified personnel properly gather and eve directly responsible for gathering the information there are significant penalties for submitting fals	aluate the information submitted. Based on my l on, the information submitted is, to the best of	nquiry of the perso my knowledge and	n or persons who i d belief, true, accu	manage the system or those persons rate, and complete. I am aware that
A. Name & Official Title (Type Or Print)		B. Area Code and		
Edward G. Henifin, P.E. General M	Vlanager	(757) 460-42		
C. Signature		D. Date Signed	9 /201	6

002

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		um Values ude units)	1	erage Values clude units)	Number	
Pollutant and CAS Number <i>(if available)</i>	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
pH	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require	Maxim	um Values de units)	Ave	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA NA	11	NA NA	1	
TRC	<0.1 mg/l	NA NA	<0.1 mg/l	NA NA	+ 1	
IRC	~0.1 mg/i	INA	-0.1 mg/i	IVA	1	
		***************************************				

## VII. Discharge information (Continued from page 3 of Form 2F)

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		um Values ude units)		erage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
pH	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

Toquito	Maxim	um Values ide units)	Ave (inc	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	
				· · · · · · · · · · · · · · · · · · ·		
			-			
					<del> </del>	

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		um Values ude units)		erage Values oclude units)	Number	
Pollutant and CAS Number <i>(if available)</i>	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require						
	(inclu	um Values de units)	Ave (inc	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	
					,	
L		L				

## VII. Discharge information (Continued from page 3 of Form 2F)

	1111111111	Maximum Values (include units)		Average Values (include units)		
Pollutant and CAS Number <i>(if available)</i>	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
pН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require	Maxim	um Values	Ave	rage Values elude units)		
Pollutant and CAS Number (if available)	(inclu Grab Sample Taken During First 20 Minutes	de units)  Flow-Weighted  Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Number of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	

## VII. Discharge information (Continued from page 3 of Form 2F)

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

	Maximum Values (include units)		Average Values (include units)		Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

	Maximi (inclu	um Values de units)	Aver (inc	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1 1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	
						····
					-	

## VII. Discharge information (Continued from page 3 of Form 2F)

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

	1	num Values ude units)	Average Values (include units)		Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require	Maximum Values		Ave	rage Values clude units)		
Pollutant		de units)	(inc	clude units)	Number of	
and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Taken During First 20 Minutes	Flow-Weighted Composite	Storm Events Sampled	Sources of Pollutants
Facal californs	3	NA	3	NA	1	
Fecal coliform Enterococcus	11	NA NA	11	NA NA	1 1	
TRC	<0.1 mg/l	NA NA	<0.1 mg/l	NA NA	1 1	
1110	-0.1 mg/i	14/1	10.1111g/1	147	<u> </u>	
	4					
			ļ		- <b></b>	
					<b> </b>	
		L		L		

## VII. Discharge information (Continued from page 3 of Form 2F)

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

		imum Values Average Values clude units) (include units)		Number		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require			1	\ /=luee		
	(inclu	Maximum Values Average Values (include units) (include units)		clude units)	Number	
Pollutant and CAS Number <i>(if available)</i>	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA NA	11	NA NA	1 1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	
				A		

009

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

			erage Values clude units)	Number		
Pollutant and CAS Number <i>(if available)</i>	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
pН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require	Maximum Valu (include units		Aver	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	

### VII. Discharge information (Continued from page 3 of Form 2F)

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

	1	Maximum Values (include units)		Average Values (include units)		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
pН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

	Maxim	um Values de units)	Ave (inc	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	
			-			
					-	
			-			

012

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

1		um Values ide units)	Average Values (include units)		Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	,
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

require	Maxim	Maximum Values Average Values (include units) (include units)		rage Values	Niverban	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	rde units)  Flow-Weighted  Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Number of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	

Part A - You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

014

## VII. Discharge information (Continued from page 3 of Form 2F)

		Maximum Values (include units)		Average Values (include units)		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1	
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1	
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1	
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1	
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1	
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1	
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1	

	(inclu	um Values de units)	Ave (in	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	
				***************************************		
					1	

9.0

Maximum

рΗ

Minimum 7.6

016

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.									
	Maximum Values (include units)		Average Values (include units)		Number				
Pollutant and CAS Number <i>(if available)</i>	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants			
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1				
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1				
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1				
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1				
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1				
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1				

List each pollutant that is limited in an effluent guideline which the facility is subject to or any pollutant listed in the facility's NPDES permit for its process wastewater (if the facility is operating under an existing NPDES permit). Complete one table for each outfall. See the instructions for additional details and Part B -

Maximum

Minimum

	Maximum Values (include units)		Aver (inc	rage Values elude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
Fecal coliform	3	NA	3	NA	1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1	

017

Part A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

	Maximum Values (include units)		Average Values (include units)		Number		
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants	
Oil and Grease	<5.0 mg/l	N/A	<5.0 mg/l	not applicable	1		
Biological Oxygen Demand (BOD5)	<2 mg/l	<2 mg/l	<2 mg/l	<2 mg/l	1		
Chemical Oxygen Demand (COD)	<25 mg/l	<25 mg/l	<25 mg/l	<25 mg/l	1		
Total Suspended Solids (TSS)	9.5 mg/l	8.4 mg/l	9.5 mg/l	8.4 mg/l	1		
Total Nitrogen	3.20 mg/l	3.75 mg/l	3.20 mg/l	3.75 mg/l	1		
Total Phosphorus	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	<0.20 mg/l	1		
рН	Minimum 7.6	Maximum 9.0	Minimum	Maximum	1		

requir	ements.					
	Maximum Values (include units)		Ave (inc	rage Values clude units)	Number	
Pollutant and CAS Number (if available)	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	Grab Sample Taken During First 20 Minutes	Flow-Weighted Composite	of Storm Events Sampled	Sources of Pollutants
		N. A.	<del>                                     </del>	NIA		
Fecal coliform	3	NA	3	NA NA	1 1	
Enterococcus	11	NA	11	NA	1	
TRC	<0.1 mg/l	NA	<0.1 mg/l	NA	1 1	
			-			
					-	
					_	
					_	
		•				
	L		<u></u>			<u> </u>

Part C - List each pollutant shown in Table 2F-2, 2F-3, and 2F-4 that you know or have reason to believe is present. See the instructions for additional details and requirements. Complete one table for each outfall.										
	Maximum Values		Average Values							
Pollutant	(inclu Grab Sample	e units) (in Grab Sample		clude units) N		Number of				
and CAS Number	Taken During First 20	Flow-Weighted	Taken During First 20	Flow-Weighted		Storm Events				
(if available)	Minutes	Composite	Minutes	Composite		Sampled	So	urces of Pollutants		
NA					<u> </u>					
					ļ					
					ļ					
					ļ					
					<b></b>					
			-							
					<u> </u>					
					1					
					<u> </u>					
		******								
					<u> </u>					
				ſ	ļ					
					<u> </u>					
					<u> </u>					
			***************************************		<u> </u>					
		•								
					$\vdash$					
					<del>                                     </del>					
					<u> </u>		**************************************			
					<u> </u>					
Part D - Pr	ovide data for the sto	orm event(s) which resu	Ited in the maxim	um values for the flow wei	ahted	composite s	ample.			
				4.	<u> </u>	T .	5.			
1. Date of Storm	2. Duration of Storm Event	3. Total rainfall during storm event		Number of hours between beginning of storm measured and end of previous		Maximum flow rate during rain event (gallons/minute or		6. Total flow from rain event		
Event	(in minutes)	(in inche	es)	measurable rain ever	nt	spec	cify units)	(gallons or specify units)		
3/20/2015		0.43		120	120		20	9201		
	720									
7. Provide a	description of the me	ethod of flow measuren	ent or estimate.							
3	•	-		_	storr	m water o	outfall 002.	The collected runoff is		
representative of that from all of the plant storm water outfalls.										

# VPDES/VPA Permit Billing Information Form for Annual Maintenance Fee

Facility Name: HRSD - Atlantic Sewage Treatment Plant

Permit Number: VA0081248

Person / Organization

to be billed: Hampton Roads Sanitation District

**Billing Address:** 1434 Air Rail Ave.

Virginia Beach, VA 23455

Billing Contact Name: Jamie Heisig-Mitchell

Title: Chief, Technical Services Division

**Phone Number:** 757-460-4220

E-Mail Address: jmitchell@hrsd.com

## AUTHORIZATION TO BILL APPLICANT FOR A PUBLIC NOTICE FOR

Re:

VPDES Permit Number VA0081248

HRSD – Atlantic Sewage Treatment Plant, Virginia Beach

I hereby authorize the Department of Environmental Quality to have the cost of publishing a public notice billed to the Agent/Department shown below. The public notice will be published once a week for two consecutive weeks in the:

## Virginian Pilot

### I AM ALSO AUTHORIZING THE VIRGINIAN PILOT TO SEND THE AFFIDAVIT TO:

DEQ – Tidewater Regional Office Water Permits - Attention: Ms. Cathy Jenson 5636 Southern Boulevard Virginia Beach, Virginia 23462

Authorizing Agent/Date Signed:

Jamie Heisig-Mitchell / 7.19.

Print Name/Date Signed

Authorizing Agent's Signature

jmitchell@hrsd.com

**RETURN COMPLETED FORM TO:** 

Authorizing Agent's E-Mail Address:

DEQ - Tidewater Regional Office

Water Permits - Attention: Ms. Cathy Jenson

5636 Southern Boulevard Virginia Beach, Virginia 23462

Cc: DEQ – TRO/file (VA0081248@ECM)